

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: EPHESUS ACADEMY CHILD DEV CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 1/23/2026
Facility Address: 829 MCMILLON AVENUE, SW, BIRMINGHAM, AL 35211, Jefferson	Licensee: EPHESUS SEVENTH DAY ADVENTIST CHURCH	Telephone #: (205) 786-2195
Ages: 6 Weeks to 10 Years	Director (if applicable): DAPHNE HENDERSON	Capacity: 85 / NA Day Night


SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - No screen time for children under 2 years of age, Inspection Form Comments: Screen time in the toddler classroom.	Pending Correction
Failed - Medical, Staff Checklist Comments: Medical is expired.	Pending Correction
Failed - Hazardous substances locked, Classroom Checklist / 2 1/2 Yr. Old Comments: Clorox wipes were on a shelf in the classroom, accessible to children.	1/23/2026
Failed - Hazardous substances locked, Classroom Checklist / 4-5 Yr. Old Comments: Clorox wipes and cleaning spray were on teacher's desk.	1/23/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the

Department of Human Resources on or before 02/06/2026, as verification that deficiencies have been corrected.


NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

AJOIA MCGHEE

Signature of DHR Licensing Representative



Date

01/23/2026

Date

COPIES TO: Center