

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: SCHOOL FOR AMAZING KIDS, DEARING DOWNS	Type of Facility : Center [X] Day [X] OST [] Night [X] Family [] University [] Group []	Date of Visit: 11/14/2025
Facility Address: 209 VILLAGE PARKWAY, HELENA, AL, 35080, Shelby	Licensee: SCHOOL FOR AMAZING KIDS, DEAR DOWNS LLC	Telephone #: (205) 664-4445
Ages: 6 Weeks to 10 Years/6 Weeks to 10 Years	Director (if applicable): ROBERT KEUHNER	Capacity: 154 , 70 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary VERBAL ABUSE , Allegation Comments:	11/14/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before NA, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

CATHERINE PAULK

11/14/2025
Date

11-14-25

**Signature of DHR Licensing
Representative**

Date

COPIES TO: _____ center _____