

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: TRINITY CHILD DEVELOPMENT CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 1/23/2026
Facility Address: 607 AIRPORT ROAD, HUNTSVILLE, AL 35802, Madison	Licensee: TRINITY UNITED METHODIST CHURCH	Telephone #: (256) 489-7525
Ages: 6 Weeks to 14 Years	Director (if applicable): SHERYL RADDIN	Capacity: 175 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Amended on January 30, 2026	
CHILD ABUSE AND NEGLECT, Allegation Comments: Per video footage confirmed on January 20, 2026, one four-year-old child and one five-year-old child in the pre-k (elephant classroom) were touched inappropriately during naptime by a staff member. The health, welfare, and safety of the children were at risk.	Pending Correction
There was dishwashing liquid sitting on the sink in the Preschool (duck classroom), Ad Hoc Comments: NA	1/22/2026
There was hair conditioner in a spray bottle sitting on a shelf in the kangaroo classroom., Ad Hoc Comments: NA	1/22/2026
In the infant (lambs classroom), there were two infants asleep in the swings., Ad Hoc Comments: NA	1/22/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 02/11/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Carrie K Jones
Signature of Facility Representative

1/30/26
Date

LATONYA JAMES

Signature of DHR Licensing Representative

01/30/2026
Date

COPIES TO: Rev. Carrie Jones