

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A - IDENTIFYING INFORMATION

Facility Name: LIGHTHOUSE ACADEMY OF EXCEL.&ACHIEVEMENT	Type of Facility: Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/>	Date of Visit: 03/14/2025
Facility Address: 1903 BEARFORK ROAD, WHISTLER, AL, 36612, Mobile	Licensee: LIGHTHOUSE CH. - APOSTOLIC FAITH OF AL	Telephone #: (251) 338-9938
Ages: 6 Weeks to 12 Years	Director (if applicable): TEJUANIA C NELSON	Capacity: NA , NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
<p>Deficiency Summary</p> <p>According to video footage on 2-18-25 there were four(4) infants not receiving direct supervision for an indetermined amount of time., Ad Hoc Comments: NA</p> <p>According to video footage on 2-18-25 an infant was placed in a bouncer seat without straps and left unattended., Ad Hoc Comments: NA</p> <p>According to video footage on 2-18-25 an 8 month old infant was picked up and roughly placed into a crib., Ad Hoc Comments: NA</p> <p>There is lysol spray and hand sanitizer not under lock and key in the Toddler 1 classroom., Ad Hoc <i>ON 3-14-25</i> Comments: NA</p> <p>Staff and child Record unavailable at center., Ad Hoc Comments: NA</p>	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 3-28-25, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of

Performance Standards. A facility licensed by the Department must always meet **Performance Standards** applicable to that facility. It is the responsibility of the licensee to operate in compliance with **Performance Standards**.

Braun Allen
Signature of Facility Representative

3.14.25
Date

~~Mary Chambers~~ Shirley Hopkins
Signature of DHR Licensing Representative

3-14-25
Date

COPIES TO: Ms. Nelson