

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: KINDER CARE LEARNING CTR #753	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 2/3/2026
Facility Address: 701 SHEILA BLVD, PRATTVILLE, AL 36067, Autauga	Licensee: KINDER CARE LEARNING CENTER, LLC.	Telephone #: (334) 365-0470
Ages: 6 Weeks to 12 Years	Director (if applicable): CHARLOTTE HARDY	Capacity: 75 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: New training has not been entered.	Pending Correction
Failed - Records on file at time of employment, Inspection Form Comments: Several staff members are working in the facility without complete files.	Pending Correction
Failed - Medical, Staff Checklist Comments: Expired	Pending Correction
Failed - Medical, Staff Checklist Comments: Expired	Pending Correction
Staff files are not in compliance., Ad Hoc Comments: NA	Pending Correction
Ceiling tiles are stained in several areas throughout the facility., Ad Hoc Comments: NA	Pending Correction
Paint is peeling on the walls in the 6 weeks to 18-month classroom., Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before

_____2/17/26_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

LaQuanda

Signature of Facility Representative

Date

JESSICA VICE

Signature of DHR Licensing Representative

02/03/2026

Date

COPIES TO: _____