

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**


Facility Name: ERICKA'S ANGELS DAYCARE 1 LLC	Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input checked="" type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/>	Date of Visit: 2/6/2026
Facility Address: 7724 FIRST AVENUE NORTH, BIRMINGHAM, AL, 35206, Jefferson	Licensee: E'DEIDRA ACOFF	Telephone #: (205) 833-1111
Ages: 6 Weeks to 12 Years/6 Weeks to 12 Years	Director (if applicable): E'DEIDRA ACOFF	Capacity: 66 / 27 Day Night

**SECTION B - DEFICIENCY INFORMATION**

<b>Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>	<b>Date Corrected by Licensee</b>
<b>Deficiency Summary</b>	
Failed - Medical, Staff Checklist Comments: Expired	1/12/2026
Failed - Medical, Staff Checklist Comments: Expired	1/12/2026
Failed - Preadmission Form, Child Checklist Comments: Missing date	1/12/2026
Failed - Immunization Certificate, Child Checklist Comments: Expired	1/12/2026
Failed - Immunization Certificate, Child Checklist Comments: Wrong print out, not the certificate of immunization	1/12/2026
Failed - Immunization Certificate, Child Checklist Comments: Expired	1/12/2026
Zoning certificate expired December 2024., Ad Hoc Comments: NA	1/12/2026
There is one toilet out of order in the bathroom near the afterschool area., Ad Hoc Comments: NA	1/12/2026

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before \_\_\_\_\_, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

  
\_\_\_\_\_  
**Signature of Facility Representative**

SHUNDR NEVELS

2/12/26  
\_\_\_\_\_  
Date

\_\_\_\_\_  
**Signature of DHR Licensing Representative**

\_\_\_\_\_  
Date

COPIES TO: \_\_\_\_\_