

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: KID'S FIRST ENRICHMENT CTR AND ACADEMY	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 2/3/2026
Facility Address: 1710 HILLYER ROBINSON PKW, ANNISTON, AL 36207, Calhoun	Licensee: KIDS FIRST CHILDCARE CENTER, INC.	Telephone #: (256) 831-8881
Ages: 4 Weeks to 12 Years	Director (if applicable):	Capacity: 171 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Hazardous substances under lock and key or combination lock, Inspection Form Comments: Staff purse was not under lock and key.	1/30/2026
Failed - No positioning device used unless specified by physician, Inspection Form Comments: Infant was asleep in crib with Boppy pillow.	1/30/2026
Failed - Soft material prohibited in infant's sleeping environment, no pillows, quilts, comforters, etc., Inspection Form Comments: Infant was asleep in crib with blanket.	1/30/2026
Failed - Medication returned to parent or disposed of when no longer needed, Inspection Form Comments: Diaper rash cream was in infant classroom, but child no longer attends.	1/30/2026
Failed - Medical, Staff Checklist Comments: Expired.	2/13/2026

Failed - Preadmission Form, Child Checklist Comments: Page #1 is incomplete.	2/13/2026
Failed - Immunization Certificate, Child Checklist Comments: Expired.	1/16/2026
Failed - Immunization Certificate, Child Checklist Comments: Expired	2/13/2026
Failed - Preadmission Form, Child Checklist Comments: Page #1 incomplete; missing doctor's information.	2/13/2026
Failed - Preadmission Form, Child Checklist Comments: Page #2 incomplete; missing signatures.	2/13/2026
Failed - Immunization Certificate, Child Checklist Comments: Expired.	2/13/2026
Failed - Hazardous substances locked, Classroom Checklist / nursery Comments: Bathroom/ closet unlocked with washer/dryer and cleaning items out.	1/30/2026
Failed - Medication locked, Classroom Checklist / nursery Comments: Diaper rash cream was in child's cubby.	1/30/2026
Failed - Hazardous substances locked, Classroom Checklist / 3+ Comments: Cleaning solution was under changing table, not under lock and key.	1/30/2026
Failed - Containers labeled, Classroom Checklist / 3+ Comments: Cleaning solution was not labeled.	1/30/2026
Failed - Hazardous substances locked, Classroom Checklist / 30+ Comments: Hand sanitizer was on changing table.	1/30/2026
Failed - Hazardous substances locked, Classroom Checklist / 4s Comments: Bottle of Fabuloso cleaning solution was on shelf upon entering classroom.	1/30/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must

put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____n/a_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

AJOIA MCGHEE

Date

2/9/2026

Signature of DHR Licensing Representative

Date

COPIES TO: _____ Center _____