

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: NOW FAITH MINISTRIES	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 2/11/2026
Facility Address: 3085 WOODLEY RD, MONTGOMERY, AL 36116, Montgomery	Licensee: NOW FAITH MINISTRIES	Telephone #: (334) 288-1611
Ages: 6 Weeks to 13 Years	Director (if applicable): LATEZIA ANDREWS	Capacity: 116 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: The molded plastic sandbox and the orange climber are broken.	2/11/2026
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: There is a black electrical cable on the playground that is not secure.	2/11/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____NA_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

Date

JESSICA VICE

2/11/26

***Signature of DHR Licensing
Representative***

Date

COPIES TO: _____ Director _____