

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A - IDENTIFYING INFORMATION

Facility Name: GRACE CHILDCARE PRESCHOOL CTR OF EXCELLE		Facility Address: 151 Hemley Avenue, Mobile, AL 36607, Mobile		Ages: 18 Months to 36 Months
Type of Facility : Center <input checked="" type="checkbox"/> [X] Day <input checked="" type="checkbox"/> [X] Night <input type="checkbox"/> [] OST <input type="checkbox"/> [] Family <input type="checkbox"/> [] University <input type="checkbox"/> [] Group <input type="checkbox"/> []		Licensee: GRACE COMMUNITY ACTION ALLIANCE, INC.		Director (if applicable): MABIS CURRY
Date of Visit: 1/29/2026		Telephone #: (251) 478-9200		Capacity: 15 / NA Day / Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency		HAZARDS MUST BE CORRECTED IMMEDIATELY*		Date Corrected by Licensee
--	--	---	--	----------------------------

Deficiency Summary All children are entered in the main building. All children files were checked during this visit.				
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form				
Comments: Expose rust on the wheeled vehicles and missing petals, and cracked wheels				
Failed - *Doll clothes and blankets, Classroom Checklist / K2/K2A				
Comments: Missing blankets				
Failed - Hazardous substances locked, Classroom Checklist / K2/K2A				
Comments: Hazards not locked				
Failed - Medication locked, Classroom Checklist / K2/K2A				
Comments: Medication is not under lock and key/ combination lock (acetaminophen, tacrolimus ointment, disinfectant wipes, hand sanitizer, medical ointment				

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet

Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

[Handwritten Signature]
Signature of Facility Representative

SHUNDR NEVELS

Signature of DHR Licensing Representative

COPIES TO:

5/8/2024
Date

Date