

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: DONALDSON MINISTRIES TABS CHRISTIAN ACAD	Type of Facility : Center [X] Day [X]            OST [ ] Night [X]        Family [ ] University [ ] Group [ ]	Date of Visit: 2/12/2026
Facility Address: 2732 MILL ST, MOBILE, AL 36607, Mobile	Licensee: DONALDSON MINISTRIES TABS CHRISTIAN ACAD	Telephone #: (251) 478-3400
Ages: 6 Weeks to 12 Years/	Director (if applicable): JACQUELINE BURRELL	Capacity: 110        /        NA Day        Night

**SECTION B - DEFICIENCY INFORMATION**

<b>Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>	<b>Date Corrected by Licensee</b>
<b>Deficiency Summary</b>	
No deficiencies on today's visit.	
Failed - Lighting adequate at nap/rest time to allow children to be seen, Inspection Form Comments: Unable to see all children in pre-k room	12/18/2025
Failed - Staff able to see all children, Inspection Form Comments: not enough light to see children in pre-k class	12/18/2025
Failed - Soft material prohibited in infant's sleeping environment, no pillows, quilts, comforters, etc., Inspection Form Comments: infant sleeping with blanket in crib	12/18/2025
Failed - Medical, Staff Checklist Comments: expired	1/21/2026
Failed - Medical, Staff Checklist Comments: expired	1/21/2026

**INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before**           N/A          , as verification that deficiencies have been corrected.

**NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to**

operate in compliance with Performance Standards.

ROSHUNDRA MCGREW

2/12/2026

**Signature of Facility Representative**

Date

LESLIE WILLIAMS /LYNN HARDY

2/12/2026

**Signature of DHR Licensing Representative**

Date

COPIES TO: \_\_\_\_\_