

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: SLOCOMB CHILD DEVELOPMENT CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 2/12/2026
Facility Address: 508 E LAWRENCE HARRIS HWY, SLOCOMB, AL, 36375, Geneva	Licensee: SLOCOMB CHILD DEVELOPMENT CENTER LLC	Telephone #: (334) 258-4083
Ages: 6 Weeks to 12 Years	Director (if applicable): ROSE HURST	Capacity: 50 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - *Digging or sand area, Inspection Form Comments: There is no sand on all playground.	Pending Correction
Failed - *Toys for digging, Inspection Form Comments: There is no toys for digging on all playground.	Pending Correction
Failed - 18 up to 2½ years 1 to 7, Inspection Form Comments: Class is out of ratio due to staff not meeting CCDF requirements (CA/N, suitability and references)	Pending Correction
Failed - 24 months to 36 months 1 to 8, Inspection Form Comments: Class is out of ratio due to staff not meeting CCDF requirements (CA/N, Suitability and references)	Pending Correction
Failed - 2 ½ years up to 4 years 1 to 11, Inspection Form Comments: Class is out of ratio due to staff not meeting CCDF requirements (CA/N, suitability and refences).	Pending Correction
Failed - Child care workers/teachers/subs meet qualification and have 12 hours of training within 30 days of employment, Inspection Form	Pending Correction

Comments: There are staff that do not have 12 hours of training.		
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: All staff are not enrolled in the Alabama Pathway registry.		Pending Correction
Failed - Records on file at time of employment, Inspection Form Comments: All staff do not have a complete file.		Pending Correction
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: expired		Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: There is no verification of ongoing training.		Pending Correction
Failed - Medical, Staff Checklist Comments: expired		Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: There is no verification of ongoing training.		Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: There is no verification of ongoing training.		Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: There is no verification of ongoing training.		Pending Correction
Failed - Preadmission Form, Child Checklist Comments: There are not complete addresses with street and city in the release or emergency section.		Pending Correction
Failed - *Toy telephones-2, Classroom Checklist / 2 1½ - 3 year olds Comments: There was only 1 phone.		Pending Correction
Failed - Hazardous substances locked, Classroom Checklist / 2 1½ - 3 year olds Comments: In the bathroom there is Clorox wipes, Lysol and cleaner under the sink that is not under lock and key.		Pending Correction
Failed - Indoor thermometer (child safe), Classroom Checklist / 24 - 36 months Comments: There is no thermometer in the room.		Pending Correction

Failed - Posted Daily schedule w/ 60-90 minutes of active play, Classroom Checklist / 24 - 36 months Comments: There is no schedule posted.	Pending Correction
Failed - *Non-toxic playdough, Classroom Checklist / 24 - 36 months Comments: There was no playdough in the room.	Pending Correction
Failed - Diapering area, Classroom Checklist / 24 - 36 months Comments: There is not a diaper area.	Pending Correction
Failed - Posted Daily schedule w/ 60-90 minutes of active play, Classroom Checklist / 24 - 36 months Comments: A schedule is not posted.	Pending Correction
Failed - Indoor thermometer (child safe), Classroom Checklist / 3 - 4 yr olds Comments: There is not a thermometer in the class	Pending Correction
Failed - Written daily schedule posted with 60-90 minutes of active play, Classroom Checklist / 3 - 4 yr olds Comments: The schedule does not reflect 60 -90 min of active play.	Pending Correction
Failed - *Non-toxic playdough, Classroom Checklist / Walkers Comments: There is no playdough in the room.	Pending Correction
Failed - *Push and pull toys 2, Classroom Checklist / Walkers Comments: There was only 1	Pending Correction
Failed - *Sit on riding toys – 2, Classroom Checklist / Walkers Comments: There was only 1.	Pending Correction
Failed - *Large soft balls – 2, Classroom Checklist / Walkers Comments: There is only 1	Pending Correction
Failed - *Non-wooden building blocks (approximately 20 non- interlocking), Classroom Checklist / Walkers Comments: There were not enough non wooden non interlocking blocks.	Pending Correction
Failed - *Doll clothes and blankets, Classroom Checklist / Walkers Comments: There is no baby blankets and clothes.	Pending Correction

Failed - *Toy telephones – 2, Classroom Checklist / Walkers Comments: There was no phone in the classroom.	Pending Correction
Failed - *Dress-up clothes, Classroom Checklist / Walkers Comments: There are no dress up clothes.	Pending Correction
✓ Failed - Posted Daily schedule w/ 60 minutes of active play, Classroom Checklist / Walkers Comments: <u>There is no schedule posted.</u>	Pending Correction
✓ The gate dividing the walker room and the 18-to-24-month room is broken and falls off when opened., Ad Hoc Comments: NA	Pending Correction
In the 18 to 24-month room there is a tear in the changing pad., Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 2/26/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Rose Hurst

Signature of Facility Representative

02/13/26

Date

JAY DALTON

Signature of DHR Licensing Representative

2/12/26

Date

COPIES TO: Rose Hurst

90 days – May 13, 2026