

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A - IDENTIFYING INFORMATION

Facility Name: SUPER KIDS ACADEMY LLC	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 2/12/2026
Facility Address: 25854 CAPSHAW ROAD, ATHENS, AL 35613, Limestone	Licensee: TAVIA ROBINETTE	Telephone #: (256) 337-7848
Ages: 6 Weeks to 6 Years	Director (if applicable): TAVIA ROBINETTE	Capacity: 30 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Ongoing Training, Staff Checklist Comments: need 7 hours ongoing training.	Pending Correction
Failed - Verification of Education, Staff Checklist Comments: need proof of education	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: incomplete	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: incomplete	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: incomplete	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: incomplete	Pending Correction
Failed - Indoor thermometer (child safe), Classroom Checklist / Yellow	Pending Correction

Room
Comments: need indoor thermometer

Failed - Hazardous substances locked, Classroom Checklist / Blue Room 2/12/2026
Comments: In the preschool classroom there was fish food sitting on the fish aquarium.

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 2/26/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Tavia Robinette
Signature of Facility Representative

2/13/2026
Date

LATONYA JAMES
Signature of DHR Licensing Representative

2/12/2026
Date

COPIES TO: Tavia Robinette