

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

|                                                                         |                                                                                                                                                                                                                                                                                  |                                   |
|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| Facility Name:<br>SUPER KIDS ACADEMY LLC                                | Type of Facility : Center <input checked="" type="checkbox"/><br>Day <input checked="" type="checkbox"/> OST <input type="checkbox"/><br>Night <input type="checkbox"/> Family <input type="checkbox"/><br>University <input type="checkbox"/><br>Group <input type="checkbox"/> | Date of Visit:<br>2/12/2026       |
| Facility Address:<br>25854 CAPSHAW ROAD, ATHENS,<br>AL 35613, Limestone | Licensee:<br>TAVIA ROBINETTE                                                                                                                                                                                                                                                     | Telephone #:<br>(256) 337-7848    |
| Ages:<br>6 Weeks to 6 Years                                             | Director (if applicable):<br>TAVIA ROBINETTE                                                                                                                                                                                                                                     | Capacity:<br>30 / NA<br>Day Night |

**SECTION B - DEFICIENCY INFORMATION**

| <b>Performance Standard Deficiency<br/>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>        | <b>Date Corrected by<br/>Licensee</b> |
|------------------------------------------------------------------------------------------|---------------------------------------|
| <b>Deficiency Summary</b>                                                                |                                       |
| Failed - Ongoing Training, Staff Checklist<br>Comments: need 7 hours ongoing training.   | Pending Correction                    |
| Failed - Verification of Education, Staff Checklist<br>Comments: need proof of education | Pending Correction                    |
| Failed - Preadmission Form, Child Checklist<br>Comments: incomplete                      | Pending Correction                    |
| Failed - Preadmission Form, Child Checklist<br>Comments: incomplete                      | Pending Correction                    |
| Failed - Preadmission Form, Child Checklist<br>Comments: incomplete                      | Pending Correction                    |
| Failed - Preadmission Form, Child Checklist<br>Comments: incomplete                      | Pending Correction                    |
| Failed - Indoor thermometer (child safe), Classroom Checklist / Yellow                   | Pending Correction                    |