

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: ANGEL CARE DAYCARE	Type of Facility : Center [] Day [X] OST [] Night [] Family [X] University [] Group []	Date of Visit: 2/6/2026
Facility Address: 901 KEYSTONE CIRCLE. BIRMINGHAM, AL 35214, Jefferson	Licensee: LAKISHA TIARA MENNEFIELD	Telephone #: (205) 983-7193
Ages: 6 Weeks to 14 Years	Director (if applicable):	Capacity: 6 / NA Day Night

SECTION B - DEFICIENCY INFORMATION


<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
All deficiencies corrected. Effective 02/17/2026.	
Failed - Dangerous substances locked, Inspection Form Comments: There is medication, hair products and other hazardous items in the downstairs bedroom not under lock and key or combination lock.	2/6/2026
Failed - Medication for children or household members locked, Inspection Form Comments: There is chest rub and other medications in the downstairs bedroom not under lock and key or combination lock.	2/6/2026
Failed - Preadmission Form, Child Checklist Comments: The preadmission form is incomplete.	2/9/2026
Failed - Preadmission Form, Child Checklist Comments: The preadmission form is incomplete.	2/9/2026
Failed - Preadmission Form, Child Checklist Comments: The preadmission form is incomplete.	2/9/2026
Failed - Preadmission Form, Child Checklist Comments: The preadmission form is incomplete.	2/9/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____ N/A _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

ROBIN BUSSIE


Date

Signature of DHR Licensing Representative

02/17/2026

Date

COPIES TO: _____ Licensee _____