

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: ABC 123 MAGICLAND, LLC	Type of Facility : Center [X] Day [X] OST [] Night [X] Family [] University [] Group []	Date of Visit: 2/19/2026
Facility Address: 1518 4TH AVENUE NORTH, BESSEMER, AL 35020, Jefferson	Licensee: ABC 123 MAGICLAND, LLC	Telephone #: (205) 424-9499
Ages: 1 Months to 13 Years/1 Months to 13 Years	Director (if applicable): FLORENCE SPEIGHTS	Capacity: 72 / 0 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
There were no deficiencies observed during today's visit.	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: Chipping paint and rust on crawl through equipment, stationary 4 seater, and merry go cycle.	2/2/2026
Failed - 0 up to 18 months 1 to 5, Inspection Form Comments: Classroom was out of ratio.	1/29/2026
Failed - 0 up to 18 months 1 to 5, Inspection Form Comments: Classroom out of ratio.	1/29/2026
Failed - Two staff with infant-child CPR and first aid present during all hours of operation, Inspection Form Comments: Infant-child CPR and first aid have expired for all staff.	2/6/2026
Failed - Vehicle safety check done annually, signed by certified mechanic, dated, and filed in center, Inspection Form Comments: Missing.	1/30/2026
Failed - Medical, Staff Checklist	2/2/2026

