

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: HERE WE GROW CH/CA AND LRN CTR	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☒ Family ☐ University ☐ Group ☐	Date of Visit: 2/18/2026
Facility Address: 2910 PLEASANT VALLEY ROAD, MOBILE, AL 36606, Mobile	Licensee: HERE WE GROW, INC.	Telephone #: (251) 471-2209
Ages: 6 Weeks to 15 Years/6 Weeks to 15 Years	Director (if applicable): KAREN ROBINSON	Capacity: 75 , 75 Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
NO DEFICIENCIES OBSERVED AT THE TIME OF VISIT.	
(02/10/2026) In the entrance, there is a bottle of hand sanitizer and a can of febreze air fresher not under lock & key or combination lock., Ad Hoc Comments: NA	2/18/2026
(02/10/2026) The cabinet in the office which contains multiple of items that states, "Keep out of reach of children" is not under lock & key or combination lock., Ad Hoc Comments: NA	2/18/2026
(02/10/2026) In the 2 yr old classroom, there is a staff purse, disinfectant wipes and vaseline not under lock& key or combination lock. , Ad Hoc Comments: NA	2/18/2026
(02/10/2026) In the 2 yr old classroom, there is an uncovered outlet., Ad Hoc Comments: NA	2/18/2026
(02/10/2026) In the nursery, there is an 8 month old infant asleep in a swing. , Ad Hoc Comments: NA	2/10/2026
(02/10/2026) In the nursery, there is a bottle of dawn dish detergent, hand sanitizer, disinfectant wipes and a can of air fresher not under lock & key or combination lock., Ad Hoc Comments: NA	2/18/2026
(02/10/2026) In the nursery, the trashcan does not have a covered	2/18/2026

lid., Ad Hoc	
Comments: NA	
(02/10/2026) In the nursery, the staff did not use a pair of gloves to attend to the child's diapering needs., Ad Hoc	2/18/2026
Comments: NA	
(02/10/2026) In the nursery, the staff did not use a pair of gloves to clean the child's face., Ad Hoc	2/18/2026
Comments: NA	
(02/10/2026) The 3yr-4yr classroom is out of ratio with 20 children to 1 teacher., Ad Hoc	2/18/2026
Comments: NA	
(02/10/2026) In the 3yr-4yr classroom, there is a child asleep at the table., Ad Hoc	2/18/2026
Comments: NA	
(02/10/2026) In the 3yr-4yr old classroom, there is a can of air fresher & disinfectant wipes not under lock& key or combination lock., Ad Hoc	2/18/2026
Comments: NA	
(02/10/2026) In the Afterschoolers room, there is a spray bottle of fabuloso, spray bottle of bleach water and dawn detergent not under lock & key or combination lock., Ad Hoc	2/10/2026
Comments: NA	
(02/10/2026) In the Afterschoolers room, there is an uncovered electrical outlet., Ad Hoc	2/18/2026
Comments: NA	
(02/10/2026) In the 4yr old classroom, there is a staff bag not under lock & key or combination lock., Ad Hoc	2/10/2026
Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Elena Robinson
Signature of Facility Representative

2/18/26
Date

AMY HORN

Signature of DHR Licensing Representative

Date

COPIES TO: _____