

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: NEW GENERATION PRESCHOOL IN MONTGOMERY	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 2/19/2026
Facility Address: 3461 OLD SELMA RD, MONTGOMERY, AL 36108, Montgomery	Licensee: NEW GENERATION PRESCHOOL IN MONTGOMERY	Telephone #: (334) 593-2754
Ages: 6 Weeks to 15 Years	Director (if applicable): CINDL STRAUGHN	Capacity: 84 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Clear glass doors are marked at child level, Inspection Form Comments: The clear glass doors are not marked at child level.	2/11/2026
Failed - 0 up to 18 months 1 to 5, Inspection Form Comments: In the nursery 1 infant room there was one staff with nine infants.	1/22/2026
Failed - 2 ½ years up to 4 years 1 to 11, Inspection Form Comments: In the 4 year old preschool room there were 16 children ages 3-4 and 6 school age children with one staff.	2/11/2026
Failed - All children supervised at all times, Inspection Form Comments: On January 21, 2026 the DHR representative observed one school aged child behind the front desk in the lobby on a laptop unsupervised.	1/22/2026
Failed - Formula provided by parent, must be labeled, ready to feed, and refrigerated, Inspection Form Comments: In the nursery 1 infant room there were three bottles that were not labeled.	2/19/2026

<p>Failed - Parents provided with information on influenza annually, Inspection Form Comments: There is no evidence of parents being provided with information of influenza annually.</p>	2/11/2026
<p>Failed - Parents provided information on child development and children's health annually, Inspection Form Comments: There is no evidence of parents being provided with information on child development annually.</p>	1/26/2026
<p>Failed - Medication administered only with written authorization from parent and child's health professional, Inspection Form Comments: In the nursery 1 infant room there were three medications that did not have written authorization from parents, and two that did not have written authorization from a health professional.</p>	1/26/2026
<p>Failed - Medication in original container, labeled, Inspection Form Comments: In the nursery 1 infant room there were two medications that were not labeled.</p>	2/11/2026
<p>Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: On the infant/toddler playground and preschool/school age playground there are broken pieces of equipment and toys (2 plastic slides, broken purple vehicle to sit on, 3 broken airplanes sit on equipment with sharp edges, spinning equipment has four plastic seats with sharp edges, 3 broken plastic wheels on equipment).</p>	1/26/2026
<p>Failed - Fence or wall free of sharp edges, Inspection Form Comments: On the infant/toddler playground and preschool/school age playground the fence has become unattached from the poles and has sharp edges.</p>	1/26/2026
<p>Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: On the infant/toddler and preschool/school age playgrounds there are large broken tree limbs and a tree root by the orange tunnel.</p>	1/26/2026
<p>Failed - 18 up to 2½ years 1 to 7, Inspection Form Comments: In the toddler 1 room there was a staff with 6 toddlers that did not have a Child Abuse and Neglect form or suitability letter.</p>	1/26/2026
<p>Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form</p>	1/26/2026

Comments: None of the staff are enrolled in Alabama Pathways.	
Failed - Most recent licensing evaluation, Inspection Form Comments: The center does not have the most recent evaluation report posted.	2/11/2026
Failed - Most recent deficiency report, Inspection Form Comments: The center does not have the most recent deficiency report posted.	2/11/2026
Failed - Menu for meals and snacks/dated, Inspection Form Comments: The center does not have a posted menu for meals and snacks.	2/11/2026
Failed - Fire department, Inspection Form Comments: The name and telephone number for the fire department is not posted by the phone.	2/11/2026
Failed - Law enforcement, Inspection Form Comments: The name and telephone number for law enforcement is not posted by the phone.	2/11/2026
Failed - Medical assistance (ambulance or rescue), Inspection Form Comments: The name and telephone number for medical assistance is not posted by the phone.	2/11/2026
Failed - Poison control center, Inspection Form Comments: The name and telephone number for the poison control center is not posted by the phone.	2/11/2026
Failed - Substitute help, Inspection Form Comments: The name and telephone number for substitute help is not posted by the phone.	2/11/2026
Failed - Children younger than 2 ½ grouped separately, Inspection Form Comments: In the nursery 1 infant room there were eight infants and one 15 years old in the same classroom.	2/19/2026
Failed - No physical restraint as punishment, Inspection Form Comments: In the 4 yr old preschool room there were two children being restrained in highchairs.	2/11/2026
Failed - Radio, TV, videos used only to supplement/enhance daily plan, Inspection Form	1/26/2026

Comments: There were school aged children on tablets watching YouTube and playing video games.	
Failed - Ongoing Training, Staff Checklist Comments: The staff is missing 12 hours of ongoing training.	1/26/2026
Failed - Health and Safety Training, Staff Checklist Comments: The staff is missing 11 hours of health and safety training.	1/26/2026
Failed - Ongoing Training, Staff Checklist Comments: The staff is missing 12 hours of ongoing training.	1/26/2026
Failed - Health and Safety Training, Staff Checklist Comments: The staff is missing 11 hours of health and safety training.	1/26/2026
Failed - Ongoing Training, Staff Checklist Comments: The staff is missing 12 hours of ongoing training.	1/26/2026
Failed - Health and Safety Training, Staff Checklist Comments: The staff is missing 11 hours of health and safety training.	1/26/2026
Failed - Verification of Education, Staff Checklist Comments: The staff does not have verification of education.	2/11/2026
Failed - References, Staff Checklist Comments: The staff does not have 3 references.	2/11/2026
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: The staff does not have a Child Abuse and Neglect form.	2/11/2026
Failed - Written Verification of Standards Read, Staff Checklist Comments: The staff does not have verification of standards read.	2/11/2026
Failed - Ongoing Training, Staff Checklist Comments: The staff does not have 12 hours of ongoing training.	2/11/2026
Failed - Health and Safety Training, Staff Checklist Comments: The staff is missing 11 hours of health and safety training.	2/11/2026
Failed - Ongoing Training, Staff Checklist Comments: The staff is missing 12 hours of ongoing training.	1/26/2026

Failed - Health and Safety Training, Staff Checklist Comments: The staff is missing 11 hours of health and a safety training.	1/26/2026
Failed - Ongoing Training, Staff Checklist Comments: The staff is missing 12 hours of ongoing training.	1/26/2026
Failed - Health and Safety Training, Staff Checklist Comments: The staff is missing 11 hours of health and safety training.	1/26/2026
Failed - Ongoing Training, Staff Checklist Comments: The staff is missing 12 hours of ongoing training.	1/26/2026
Failed - Health and Safety Training, Staff Checklist Comments: The staff is missing 11 hours of health and safety training.	1/26/2026
Failed - Preadmission Form, Child Checklist Comments: The child does not have a preadmission form.	1/26/2026
Failed - Preadmission Form, Child Checklist Comments: The preadmission form has incomplete addresses.	1/26/2026
Failed - Preadmission Form, Child Checklist Comments: The child's preadmission form has incomplete addresses	1/26/2026
Failed - Preadmission Form, Child Checklist Comments: The preadmission form is missing three parent signatures on the second page.	1/26/2026
Failed - Preadmission Form, Child Checklist Comments: The preadmission form has incomplete addresses.	1/23/2026
Failed - Immunization Certificate, Child Checklist Comments: The immunization form expired 7/30/2023.	1/23/2026
Failed - Preadmission Form, Child Checklist Comments: The child's preadmission form has missing addresses.	1/26/2026
Failed - Immunization Certificate, Child Checklist Comments: The immunization form expired 2/10/2022.	1/26/2026
Failed - Immunization Certificate, Child Checklist	1/26/2026

Comments: The immunization form expired 3/10/25.	
Failed - Preadmission Form, Child Checklist Comments: The child's preadmission form is incomplete.	1/26/2026
Failed - Immunization Certificate, Child Checklist Comments: The child does not have an immunization form on file.	1/26/2026
Failed - Preadmission Form, Child Checklist Comments: The preadmission form has incomplete addresses and missing information.	1/26/2026
Failed - Preadmission Form, Child Checklist Comments: The preadmission form has incomplete addresses and missing information.	1/26/2026
Failed - Waterproof mattress, sheets, Classroom Checklist / Nursery 1 Comments: In the nursery 1 infant room there is a ripped mattress and four ripped sheets.	1/23/2026
Failed - Indoor thermometer (child safe), Classroom Checklist / Nursery 1 Comments: In the nursery 1 infant room there is not an indoor thermometer.	1/22/2026
Failed - Electrical outlets covered, Classroom Checklist / Nursery 1 Comments: In the nursery 1 infant room there are eleven electrical outlets not covered.	1/22/2026
Failed - Hazardous substances locked, Classroom Checklist / Nursery 1 Comments: In the nursery 1 infant room there are hazardous substances not under lock and key or combination lock (disinfectant spray, bleach wipes, magic eraser pads, hand sanitizer, rubbing alcohol. WD40 spray, dish soap).	1/22/2026
Failed - Containers labeled, Classroom Checklist / Nursery 1 Comments: In the nursery 1 infant room there was an unlabeled spray bottle with purple solution.	2/11/2026
Failed - Medication locked, Classroom Checklist / Nursery 1 Comments: In the nursery 1 infant room there were medications not under lock and key or combination lock (prescription Diazepam Rectal gel, prescription Nystatin ointment, vaporizing rub, baby powder, two baby lotions, 2 Vaseline jars, Desitin diaper rash cream, A & D diaper rash cream, 2 saline mist bottles, Balmex diaper rash cream, Boudreaux's	1/22/2026

diaper rash cream, 2 children's Motrin bottles, 2 Eczema cream tubes, hydrocortisone cream, zinc oxide paste, lip balm, adult Tylenol, Aleve, Ibuprofen, Mirolax, Pepto Bismol, cough drops).

Failed - Plastic-lined, covered container, Classroom Checklist / Nursery 2 2/11/2026
Comments: In the nursery 2 toddler room the container does not have a cover.

Failed - Cribs/cots, Classroom Checklist / Nursery 2 1/26/2026
Comments: The nursery 2 toddler room does not have the required sleep equipment for the children in the classroom.

Failed - Waterproof mattress(es), sheets, coverings, Classroom Checklist / Nursery 2 1/26/2026
Comments: In the nursery 2 toddler room there is a ripped mattress and three of the cribs do not have mattresses.

Failed - Indoor thermometer (child safe), Classroom Checklist / Nursery 2 1/22/2026
Comments: In the nursery 2 toddler room there is not an indoor thermometer.

Failed - Posted Daily schedule w/ 60 minutes of active play, Classroom Checklist / Nursery 2 1/22/2026
Comments: In the nursery 2 toddler room there is not a schedule posted.

Failed - Electrical outlets covered, Classroom Checklist / Nursery 2 1/22/2026
Comments: There are electrical outlets that are not covered.

Failed - Hazardous substances locked, Classroom Checklist / Nursery 2 1/22/2026
Comments: In the nursery 2 toddler room there are hazardous substances not under lock and key or combination lock (Lysol spray, hairspray, bleach wipes, laundry detergent, disinfectant spray, adhesive E6000).

Failed - Containers labeled, Classroom Checklist / Nursery 2 2/11/2026
Comments: In the nursery 2 toddler room there was a container not labeled with purple solution.

Failed - Medication locked, Classroom Checklist / Nursery 2 1/22/2026
Comments: In the nursery 2 toddler room there was medication not under lock and key or combination lock (Boudreax's diaper rash cream, Cerave lotion, Stopain roll on liquid medicine).

Failed - Potty chairs cleaned/disinfected/empties, Classroom Checklist / Toddler 1 1/22/2026

Comments: In the toddler 1 room bathroom there was a potty chair that was not clean.	
Failed - Indoor thermometer (child safe), Classroom Checklist / Toddler 1 Comments: In the toddler 1 room there was not an indoor thermometer.	1/22/2026
Failed - Electrical outlets covered, Classroom Checklist / Toddler 1 Comments: In the toddler 1 room there were electrical outlets not covered.	1/22/2026
Failed - Hazardous substances locked, Classroom Checklist / Toddler 1 Comments: In the toddler 1 room there were hazardous substances not under lock and key or combination lock (disinfectant wipes, disinfectant spray, hand sanitizer).	1/22/2026
Failed - Plastic-lined, covered container, Classroom Checklist / Toddler 2 Comments: In the toddler 2 room the container does not have a cover.	1/22/2026
Failed - Indoor thermometer (child safe), Classroom Checklist / Toddler 2 Comments: In the toddler 2 room there is not an indoor thermometer.	1/22/2026
Failed - Electrical outlets covered, Classroom Checklist / Toddler 2 Comments: In the toddler 2 room there are electrical outlets that are not covered.	1/22/2026
Failed - Hazardous substances locked, Classroom Checklist / Toddler 2 Comments: In the toddler 2 room there were hazardous substance not under lock and key or combination lock (Dawn dish soap, clorox bleach, disinfectant spray).	1/22/2026
Failed - Indoor thermometer (child safe), Classroom Checklist / 3 yr old room Comments: In the 3 yr old preschool room there is not an indoor thermometer.	1/22/2026
Failed - Electrical outlets covered, Classroom Checklist / 3 yr old room Comments: In the 3 yr old preschool room there are electrical outlets not covered.	1/22/2026
Failed - Hazardous substances locked, Classroom Checklist / 3 yr old room Comments: In the 3 yr old preschool room there are hazardous substances not under lock and key or combination lock (toilet bowl cleaner,	1/22/2026

disinfectant spray, clorox bleach, hand sanitizer, Lysol spray, carpet cleaner, whiteboard cleaner).	
Failed - Indoor thermometer (child safe), Classroom Checklist / 4 yr old room Comments: In the 4 yr old preschool room there is not an indoor thermometer.	1/22/2026
Failed - Hazardous substances locked, Classroom Checklist / 4 yr old room Comments: In the 4 yr old preschool room there are hazardous substances not under lock and key or combination lock (Fabuloso cleaning solution, Febreze odor spray, disinfectant wipes, contact solution, bleach, Lysol spray, shaving cream, hand sanitizer, Clorox, glass cleaner).	1/26/2026
Failed - Containers labeled, Classroom Checklist / 4 yr old room Comments: In the 4 yr old preschool room there was a container not labeled with purple solution.	2/11/2026
Failed - Indoor thermometer (child safe), Classroom Checklist / After school Comments: In the afterschool room there was not an indoor thermometer.	2/19/2026
Failed - Written schedule posted with 60-90 minutes of active play, Classroom Checklist / After school Comments: In the afterschool room there was not a schedule posted.	2/11/2026
Failed - Electrical outlets covered, Classroom Checklist / After school Comments: In the afterschool room there are outlets that were not covered.	2/19/2026
There are not enough staff to maintain capacity of 84., Ad Hoc Comments: NA	2/6/2026
On the infant/toddler playground there is cleaning equipment accessible to the children (work ladder, a mop that has a broken wooden handle with sharp edges, and a large sweeper) , Ad Hoc Comments: NA	1/26/2026
On January 21, 2026 the DHR representative observed one school aged child at a desk in the lobby on a tablet unsupervised., Ad Hoc Comments: NA	1/21/2026
On January 21, 2026 the DHR representative observed one school aged child in the 3 yr old classroom on a tablet watching YouTube	1/22/2026

<p>unsupervised., Ad Hoc Comments: NA</p>	
<p>1/29/26 On the infant/toddler playground a large tree fell and damaged the swing set, and there are multiple large tree limbs on the ground. As of January 29, 2026 the infant/toddler playground has been restricted., Ad Hoc Comments: NA</p>	Pending Correction
<p>1/29/26 On January 29, 2026 DHR representative observed two 3-year-old children in the lobby of the facility unsupervised., Ad Hoc Comments: NA</p>	Pending Correction
<p>1/29/26 On January 29, 2026 DHR representative observed one 15-year-old child walk out of the preschool/school age classroom, walk in the infant room to get toilet paper for the preschool/school age bathroom, and walk back to the preschool/school age classroom unsupervised. , Ad Hoc Comments: NA</p>	Pending Correction
<p>1/29/26 The staff in the toddler 1 room does not have a Child Abuse and Neglect form, and suitability letter, or health and safety training, leaving the ratio 0 to 4., Ad Hoc Comments: NA</p>	Pending Correction
<p>1/29/26 The staff in the toddler 1 room does not have a Child Abuse and Neglect form., Ad Hoc Comments: NA</p>	Pending Correction
<p>1/29/26 The staff in the toddler 1 room does not have a suitability letter., Ad Hoc Comments: NA</p>	Pending Correction
<p>1/29/26 The staff in the toddler 1 room does not have a photo ID., Ad Hoc Comments: NA</p>	Pending Correction
<p>1/29/26 The staff in the toddler 1 room does not have 11 hours of Health and Safety training., Ad Hoc Comments: NA</p>	Pending Correction
<p>1/29/26 The staff in the toddler 1 room does not have 12 hours of Ongoing Training., Ad Hoc Comments: NA</p>	Pending Correction
<p>1/29/26 The staff in the toddler 1 room does not have a medical form.,</p>	Pending Correction

Ad Hoc Comments: NA	
1/29/26 The staff in the toddler 1 room does not have a TB test., Ad Hoc Comments: NA	Pending Correction
2/11/26 On January 29, 2026 DHR representative observed one school aged child in the 3 year old room unsupervised., Ad Hoc Comments: NA	Pending Correction
2/11/26 In the nursery 1 infant room there were three infants ages 2 months, 4 months, and 10 months asleep in swings., Ad Hoc Comments: NA	2/19/2026
2/11/26 In the nursery 1 infant room there was an 8 month old infant asleep in a crib with a blanket while also wearing a bib., Ad Hoc Comments: NA	2/11/2026
2/11/26 In the nursery 1 infant room there was a 13 month old in a crib with a bottle., Ad Hoc Comments: NA	2/11/2026
2/11/26 The bathroom between the toddler 1 and toddler 2 rooms has a light that does not work., Ad Hoc Comments: NA	Pending Correction
2/19/26 In the toddler 1 room there was a window open without a screen., Ad Hoc Comments: NA	2/19/2026
2/19/26 In the 3 year old bathroom the overhead light does not work., Ad Hoc Comments: NA	Pending Correction
2/19/26 The sign in and out sheet had seven children not signed in., Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 3/5/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

2/24/26

Date

LEANNA TOWERY

Signature of DHR Licensing Representative

2/19/26

Date

COPIES TO: director