ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name:	Type of Facility : Center [X]	Date of Visit:
EVERYDAY SUNSHINE ACADEMY-PIPESHOP ANNEX	Day [X] OST [ ] Night [ ] Family [ ] University [ ] Group [ ]	2/5/2026
Facility Address: 1300 18TH AVENUE NORTH, BESSEMER, AL 35020, Jefferson	Licensee: MARA ALLEN	Telephone #: (205) 424-6360
Ages: 3 Years to 13 Years	Director (if applicable): MARA ALLEN	Capacity: 85 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency ***HAZARDS MUST BE CORRECTED IMMEDIATELY****	**Date Corrected by Licensee**
Deficiency Summary	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: Black liner under the swings	2/5/2026
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: incomplete	2/9/2026
The staff files are incomplete., Ad Hoc Comments: NA	2/9/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Lakeisha Ruffin — *Signature of Facility Representative*

2/18/26 — Date