

**ALABAMA DEPARTMENT OF HUMAN RESOURCES**  
**CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**


|                                                                             |                                                                                                                                                |                                                    |
|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| Facility Name:<br>NEW BEGINNING CHRISTIAN<br>CHILD DEV. CTR.                | Type of Facility : Center [X]<br>Day [X]                      OST [ ]<br>Night [ ]                   Family [ ]<br>University [ ]<br>Group [ ] | Date of Visit:<br>2/19/2026                        |
| Facility Address:<br>501 MOUNTAIN DRIVE,<br>BIRMINGHAM, AL 35206, Jefferson | Licensee:<br>NEW BEGINNING<br>CHRISTIAN MINISTRY                                                                                               | Telephone #:<br>(205) 591-0088                     |
| Ages:<br>6 Weeks to 12 Years                                                | Director (if applicable):<br>TONYA WILSON                                                                                                      | Capacity:<br>152      NA<br>Day              Night |

**SECTION B - DEFICIENCY INFORMATION**

| <u>Performance Standard Deficiency</u><br><b>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>                                                                                                              | <b>Date Corrected by<br/>Licensee</b> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| <b>Deficiency Summary</b>                                                                                                                                                                            |                                       |
| Failed - Hazardous substances under lock and key or combination lock, Inspection Form<br>Comments: On 2/19/26, there was disinfectant wipes not under lock and key in the hallway on a rolling cart. | 2/19/2026                             |
| Failed - Infants held for bottle feeding, Inspection Form<br>Comments: On 2/19/26, an infant was being feed in a bouncy seat.                                                                        | 2/19/2026                             |
| Failed - Ongoing Training, Staff Checklist<br>Comments: On 2/19/26, not in file.                                                                                                                     | Pending Correction                    |
| Failed - Ongoing Training, Staff Checklist<br>Comments: On 2/19/26, not in file.                                                                                                                     | Pending Correction                    |
| Failed - Health and Safety Training, Staff Checklist<br>Comments: On 2/19/26, not in file.                                                                                                           | Pending Correction                    |
| Failed - Ongoing Training, Staff Checklist<br>Comments: On 2/19/26, not in file.                                                                                                                     | Pending Correction                    |
| Failed - Medical, Staff Checklist<br>Comments: On 2/19/26, not signed by dr.                                                                                                                         | Pending Correction                    |
| Failed - Ongoing Training, Staff Checklist<br>Comments: On 2/19/26, not in file.                                                                                                                     | Pending Correction                    |
| Failed - Ongoing Training, Staff Checklist<br>Comments: On 2/19/26, not in file.                                                                                                                     | Pending Correction                    |
| Failed - Health and Safety Training, Staff Checklist<br>Comments: On 2/19/26, not in file.                                                                                                           | Pending Correction                    |
| Failed - Preadmission Form, Child Checklist<br>Comments: On 2/19/26, 3 signatures missing on second page.                                                                                            | Pending Correction                    |

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 3/5/26, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

  
**Signature of Facility Representative**

2/19/26  
Date

JOY FRAZIER

\_\_\_\_\_  
**Signature of DHR Licensing Representative**

2/19/26  
Date

COPIES TO: T. Wilson