

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: AIM ACADEMY OF MERIDIANVILLE	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 2/4/2026
Facility Address: 11461 US HWY 231, MERIDIANVILLE, AL 35759, Madison	Licensee: AIM ACADEMY LLC	Telephone #: (938) 666-3555
Ages: 6 Weeks to 12 Years	Director (if applicable): TORRICA BLACKFUL	Capacity: 101 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: Wrong suitability in file.	2/19/2026
Failed - Health and Safety Training, Staff Checklist Comments: Missing	2/13/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before n/a , as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative


Date

AJOIA MCGHEE

02/19/26

Signature of DHR Licensing Representative

Date

COPIES TO: _____ Center _____