

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: AMAZING KIDS ACADEMY	Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST [ ] Night <input checked="" type="checkbox"/> Family [ ] University [ ] Group [ ]	Date of Visit: 2/20/2026
Facility Address: 1125 E S BLVD, MONTGOMERY, AL, 36116, Montgomery	Licensee: DINAH ROBINSON-ALLEN	Telephone #: (334) 356-7121
Ages: 6 Weeks to 13 Years/	Director (if applicable): DINAH ROBINSON ROBINSON-ALLEN	Capacity: 100 , 40 Day Night

**SECTION B - DEFICIENCY INFORMATION**

<u>Performance Standard Deficiency</u> <b>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>	Date Corrected by Licensee
<b>Deficiency Summary</b>	
The indoor thermometer is not working in the infant room 6wks-12m., Ad Hoc Comments: NA	Pending Correction
There is hand sanitizer in the 3yr- 5yr classroom not under lock in key., Ad Hoc Comments: NA	Pending Correction
There is a plug cover missing going to the playground entrance in the hallway., Ad Hoc Comments: NA	Pending Correction
On the playground the yellow handrails have chipped paint., Ad Hoc Comments: NA	Pending Correction
On the playground the centers back, wall has paint peeling accessible to the children's reach., Ad Hoc Comments: NA	Pending Correction
On the playground there is a yellow and green johnny deere truck with a crawl thru with chipped paint., Ad Hoc Comments: NA	Pending Correction
On the playground the yellow, blue, green crawl thru's have paint peeling., Ad Hoc Comments: NA	Pending Correction
On the playground the blue slide equipment is peeling paint., Ad Hoc Comments: NA	Pending Correction

