

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

|   |   |                                  |
|---|---|----------------------------------|
| Facility Name:<br>MRS. JO'S DAYCARE                                   | Type of Facility : Center [ ]<br>Day [X] OST [ ]<br>Night [ ] Family [X]<br>University [ ]<br>Group [ ] | Date of Visit:<br>2/20/2026      |
| Facility Address:<br>1501 10TH AVE SW, HAMILTON, AL,<br>35570, Marion | Licensee:<br>JO RETTA TUCK  | Telephone #:<br>(205) 528-0211   |
| Ages:<br>6 Weeks to 8 Years   | Director (if applicable):<br>N/A  | Capacity:<br>6 / NA<br>Day Night |

**SECTION B - DEFICIENCY INFORMATION**

| <b><u>Performance Standard Deficiency</u></b><br><b><i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i></b>   | <b>Date Corrected by<br/>Licensee</b> |
|---|---------------------------------------|
| <b>Deficiency Summary</b>   |                                       |
| Failed - By August 1 2022 all home staff including licensee/substitutes/assistant caregivers must enroll in Alabama Pathways Professional Development Registry, Inspection Form<br>Comments: staff not registered on Pathways | Pending Correction                    |
| Failed - Certificate of rabies vaccination, Inspection Form<br>Comments: no record of current rabies record   | 12/18/2025                            |
| Failed - Preadmission Form, Child Checklist<br>Comments: missing 2nd page of preadmission form  | 12/18/2025                            |
| Failed - Immunization Certificate, Child Checklist<br>Comments: no current immunization certificate   | 2/20/2026                             |

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 03/04/2026, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

JoRetta Tuck  
*Signature of Facility Representative*

2/20/26  
Date

Rolanda Nelson  
*Signature of DHR Licensing Representative*

02/20/2026  
Date

COPIES TO: JoRetta Tuck