

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: THE RIGHT WAY DAYCARE	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 2/20/2026
Facility Address: 1430 FIELDING ST., BRIGHTON, AL 35020, Jefferson	Licensee: CHARETTA Y. SIMMONS	Telephone #: (205) 422-3882
Ages: 30 Weeks to 5 Years	Director (if applicable): CHARETTA YOUNG SIMMONS	Capacity: 30 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: There was standing water in some of the toys on the infant/toddler playground.	2/3/2026
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: There was chipping paint on the concrete wall on the preschool playground.	2/20/2026
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some staff's most current training was not uploaded.	2/20/2026
Failed - Exposed electrical outlets have protective covers, Inspection Form Comments: There were exposed electrical outlets in a surge protector near the right side restroom.	2/3/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before NA, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

JAIME BOWMAN

Date

02/20/26

Signature of DHR Licensing Representative

Date

COPIES TO: Charetta Simmons