

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: CCR ST. VINCENT HEAD START PROGRAM	Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/>	Date of Visit: 2/20/2026
Facility Address: 1033 22ND STREET SOUTH, BIRMINGHAM, AL 35205, Jefferson	Licensee: CHILD CARE RESOURCES HEAD START PROGRAM	Telephone #: (205) 945-0018
Ages: 0 Weeks to 5 Years	Director (if applicable): JOAN WRIGHT	Capacity: 47 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
One child was left in the infant room (1/14/2026) for an undetermined amount of time (per staff statement)., Ad Hoc Comments: NA	1/23/2026
There are two bottles of hand sanitizer not under lock & key (classroom B)., Ad Hoc Comments: NA	1/23/2026
One child is not signed into the center (classroom C), Ad Hoc Comments: NA	2/20/2026
One preadmission is incomplete. , Ad Hoc Comments: NA	1/23/2026
The center did not inform parents about the adverse action by the date specified on the Corrective Action notice. , Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to

operate in compliance with Performance Standards.

Signature of Facility Representative

Date

BRANDUL PERINE

Signature of DHR Licensing Representative

Date

COPIES TO: _____