

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: BRADFORD KINDERCARE	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 2/5/2026
Facility Address: 5014 BRADFORD DRIVE, HUNTSVILLE, AL, 35805, Madison	Licensee: KINDERCARE LEARNING CENTER	Telephone #: (256) 830-0110
Ages: 6 Weeks to 12 Years	Director (if applicable): J'SAHNVI WALKER	Capacity: 163 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - No blanket authorization forms for medication, Inspection Form Comments: There was a blanket medical form in the 14-18-month classroom, and 24- 36-month classroom.	2/5/2026
Failed - Medication administered only with written authorization from parent and child's health professional, Inspection Form Comments: No written authorization for diaper cream in the preschool 1 classroom.	2/5/2026
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Staff current training not in Alabama Pathways.	1/29/2026
Failed - Ongoing Training, Staff Checklist Comments: need ongoing training	1/13/2026
Failed - Health and Safety Training, Staff Checklist Comments: need health & safety training	2/2/2026

Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: exp. 3/18/2025	2/19/2026
Failed - Ongoing Training, Staff Checklist Comments: need ongoing training	2/2/2026
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: exp. 11/13/2025	2/2/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: exp. 11/25/2025	1/29/2026
Failed - Ongoing Training, Staff Checklist Comments: need ongoing training.	1/12/2026
Failed - Ongoing Training, Staff Checklist Comments: need ongoing training.	1/13/2026
Failed - Ongoing Training, Staff Checklist Comments: need ongoing training.	1/13/2026
Failed - Health and Safety Training, Staff Checklist Comments: need Health & safety training.	1/13/2026
Failed - Ongoing Training, Staff Checklist Comments: need ongoing training.	1/13/2026
Failed - Health and Safety Training, Staff Checklist Comments: Need Health & safety training.	1/13/2026
Failed - Ongoing Training, Staff Checklist Comments: need ongoing	1/13/2026
Failed - Health and Safety Training, Staff Checklist Comments: need Health & safety training	1/5/2026
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: exp. 7/6/2025	2/19/2026
Failed - Ongoing Training, Staff Checklist Comments: need ongoing training.	1/12/2026

Failed - Medical, Staff Checklist Comments: need medical	1/12/2026
Failed - TB Test Date and Results, Staff Checklist Comments: need TB	1/12/2026
Failed - Ongoing Training, Staff Checklist Comments: need ongoing training.	1/13/2026
Failed - Health and Safety Training, Staff Checklist Comments: Need health & safety training.	1/13/2026
Failed - Ongoing Training, Staff Checklist Comments: need ongoing training	2/2/2026
Failed - Health and Safety Training, Staff Checklist Comments: need health & safety training.	1/29/2026
Failed - Immunization Certificate, Child Checklist Comments: exp. 7/16/2025	1/12/2026
Failed - Immunization Certificate, Child Checklist Comments: List telephone numbers such as beeper, cell phone etc.	2/2/2026
Failed - Hazardous substances locked, Classroom Checklist / Infant 1 Comments: Cabinet that stores cleaning products was not locked.	12/30/2025
Failed - Hazardous substances locked, Classroom Checklist / Discovery Preschool 1 Comments: There was a cleaning solution sitting on top of shelf.	12/30/2025
Failed - Medication locked, Classroom Checklist / Discovery Preschool 1 Comments: There was butt paste in the 24-36 classroom (Discovery 1) not locked up.	12/30/2025
Failed - Hazardous substances locked, Classroom Checklist / Preschool 2 Comments: In preschool 2 there was disinfecting spray sitting on the sink and hand sanitizer sitting on top of the cubbies.	12/30/2025
Failed - Hazardous substances locked, Classroom Checklist / Private Pre- K Comments: There was an unlocked cabinet where cleaning products are	12/30/2025

stored.

Failed - Electrical outlets covered, Classroom Checklist / School-Age 12/30/2025
Comments: There was two outlets with no protective cover.


Failed - Hazardous substances locked, Classroom Checklist / School-Age 12/30/2025
Comments: There was cleaning solution sitting near the sink.

There was an outlet in the hallway with no protective cover., Ad Hoc 12/30/2025
Comments: NA

In the infant A classroom, there was two staff bags hanging on a hook., 12/30/2025
Ad Hoc
Comments: NA

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

LATONYA JAMES

2/19/2026
Date

Signature of DHR Licensing Representative

2/19/2026
Date

COPIES TO: J'sahni Walker