

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: FROM THE BEGINNING HOME DAYCARE	Type of Facility : Center [] Day [X] OST [] Night [X] Family [] University [] Group [X]	Date of Visit: 2/11/2026
Facility Address: 4505 GRIZZARD ROAD NW, HUNTSVILLE, AL 35810, Madison	Licensee: JOCELYN LEWIS	Telephone #: (256) 348-9498
Ages: 7 Days to 7 Days/12 Years to 12 Years	Director (if applicable): N/A	Capacity: 12 / 12 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Home free of apparent hazardous conditions, Inspection Form Comments: chemicals and outlets exposed	2/11/2026
Failed - Dangerous substances locked, Inspection Form Comments: air freshner not locked up in bathroom	2/11/2026
Failed - Electrical outlets covered, Inspection Form Comments: outlet exposed in kitchen	2/11/2026
Failed - Outdoor play area and equipment free from apparent hazards, Inspection Form Comments: large limbs down on outside play area	2/11/2026
Failed - Medical, Staff Checklist Comments: expired	2/2/2026
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: expired	2/23/2026
Failed - Medical, Staff Checklist Comments: expired	2/23/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.


NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

2/23/20

Date



Signature of DHR Licensing Representative

02/23/2020

Date

COPIES TO: Jocelyn Lewis