

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: JOY WOOD DAYCARE	Type of Facility : Center [] Day [X] OST [] Night [] Family [] University [] Group [X]	Date of Visit: 2/11/2026
Facility Address: 1641 DAUPHIN STREET EXT, ENTERPRISE, AL 36330, Coffee	Licensee: JOY WOOD	Telephone #: (334) 674-0696
Ages: 6 Weeks to 5 Years	Director (if applicable):	Capacity: 12 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary ALL DEFICIENCIES CORRECTED THROUGH ARISE. Failed - Immunization Certificate, Child Checklist Comments: expired 01/25/2026	2/27/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A , as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

02/27/2026

Date

AMY HORN

Signature of DHR Licensing Representative

02/27/2026

Date

COPIES TO: LICENSEE

Received

MAR 04 2026

Child Care Services Division