

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: GOOD NEWS CHILD DEVELOPMENT CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 2/27/2026
Facility Address: 88 WEST SOUTH BOULEVARD, MONTGOMERY, AL 36105, Montgomery	Licensee: TONJA A. THOMAS	Telephone #: (334) 676-2674
Ages: 6 Weeks to 12 Years	Director (if applicable): TONJA A. THOMAS	Capacity: 33 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
On the entrance to the playground the center wall is peeling paint and accessible to children's reach., Ad Hoc Comments: NA	2/28/2026
The wall in the boy's restroom under the stall is peeling paint., Ad Hoc Comments: NA	2/28/2026
There are missing plug covers in the afterschool room 5yrs-up., Ad Hoc Comments: NA	2/11/2026
There is Clorox wipes in the afterschool room (5yr-up) not under lock in key., Ad Hoc Comments: NA	2/11/2026
The door entrance to the infant room (6wks-12m) has paint peeling ,, Ad Hoc Comments: NA	2/28/2026
There is hazardous substance not under lock on key in the infant room (6wks-12m) Clorox wipes, hand sanitizer, Johnson baby lotion., Ad Hoc Comments: NA	2/11/2026
There is hazardous substance not under lock in key in the toddler classroom (12m-24m) Lysol, hand sanitizer, Aquaphor., Ad Hoc Comments: NA	2/11/2026
There are Clorox wipes not under lock in key in the infant room	2/27/2026

(6wks-12m)., Ad Hoc	
Comments: NA	
There is a missing plug cover in the 2.5 yr room ., Ad Hoc	2/27/2026
Comments: NA	
There is a staff purse not under lock in the 12m-24m classroom., Ad Hoc	2/27/2026
Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before n/a, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Britney Hunt
 Signature of Facility Representative

2/27/26
 Date

KAMILA CROWELL
 Signature of DHR Licensing Representative

2/27/2026
 Date

COPIES TO: _____ person in charge _____