

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: DOODLEBUGS	Type of Facility : Center [] Day [X] OST [] Night [] Family [] University [] Group [X]	Date of Visit: 2/27/2026
Facility Address: 506 WEBSTER CIRCLE, VERNON, AL 35592, Lamar	Licensee: TIFFINEY R. STANFORD	Telephone #: (205) 695-8383
Ages: 6 Weeks to 12 Years	Director (if applicable): N/A	Capacity: 12 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Most recent licensing evaluation posted, Inspection Form Comments: not able to locate	Pending Correction
Failed - Most recent deficiency report posted, Inspection Form Comments: not able to locate	Pending Correction
Failed - Fire, Inspection Form Comments: unable to locate record sheet	Pending Correction
Failed - Tornado, Inspection Form Comments: unable to locate record sheet	Pending Correction
Failed - Lockdown, Inspection Form Comments: unable to locate record sheet	Pending Correction
Failed - Relocation, Inspection Form Comments: unable to locate record sheet	Pending Correction
Failed - Medical, Staff Checklist Comments: expired	Pending Correction

Failed - Suitability Determination (Every 5 years), Staff Checklist
Comments: expired

Pending Correction

Failed - Medical, Staff Checklist
Comments: expired

Pending Correction

Failed - Immunization Certificate, Child Checklist
Comments: expired

Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 03/13/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Tiffiney Stanford

Signature of Facility Representative

02-27-2026

Date

Rolanda Nelson

Signature of DHR Licensing Representative

02/27/2026

Date

COPIES TO: Tiffiney Stanford