

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

|                                                                         |                                                                                                                   |                                                  |
|-------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|
| Facility Name:<br>SUPER KIDS ACADEMY LLC                                | Type of Facility : Center [X]<br>Day [X]      OST [ ]<br>Night [ ]      Family [ ]<br>University [ ]<br>Group [ ] | Date of Visit:<br>2/12/2026                      |
| Facility Address:<br>25854 CAPSHAW ROAD, ATHENS,<br>AL 35613, Limestone | Licensee:<br>TAVIA ROBINETTE                                                                                      | Telephone #:<br>(256) 337-7848                   |
| Ages:<br>6 Weeks to 6 Years                                             | Director (if applicable):<br>TAVIA ROBINETTE                                                                      | Capacity:<br>30      /      NA<br>Day      Night |

**SECTION B - DEFICIENCY INFORMATION**

| <b>Performance Standard Deficiency</b><br><i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>  | <b>Date Corrected by</b><br><b>Licensee</b> |
|------------------------------------------------------------------------------------------|---------------------------------------------|
| <b>Deficiency Summary</b>                                                                |                                             |
| Failed - Ongoing Training, Staff Checklist<br>Comments: need 7 hours ongoing training.   | 3/2/2026                                    |
| Failed - Verification of Education, Staff Checklist<br>Comments: need proof of education | 2/17/2026                                   |
| Failed - Preadmission Form, Child Checklist<br>Comments: incomplete                      | 2/17/2026                                   |
| Failed - Preadmission Form, Child Checklist<br>Comments: incomplete                      | 2/17/2026                                   |
| Failed - Preadmission Form, Child Checklist<br>Comments: incomplete                      | 2/17/2026                                   |
| Failed - Preadmission Form, Child Checklist<br>Comments: incomplete                      | 2/17/2026                                   |
| Failed - Indoor thermometer (child safe), Classroom Checklist / Yellow                   | 2/17/2026                                   |

Room

Comments: need indoor thermometer

Failed - Hazardous substances locked, Classroom Checklist / Blue Room 2/12/2026

Comments: In the preschool classroom there was fish food sitting on the fish aquarium.

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Tavia Robinette  
Signature of Facility Representative

3/2/2026  
Date

LATONYA JAMES

\_\_\_\_\_  
Signature of DHR Licensing Representative

3/2/2026  
Date

COPIES TO: Tavia Robinette