

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: ROL LEARNING CENTER	Type of Facility : Center [X] Day [X]            OST [ ] Night [ ]           Family [ ] University [ ] Group [ ]	Date of Visit: 3/3/2026
Facility Address: 10331 Hwy 82, Centreville, AL 35042, Bibb	Licensee: ROL LEARNING CENTER	Telephone #: (205) 928-9645
Ages: 6 Weeks to 12 Years	Director (if applicable): KIERSTIN SALINAS	Capacity: 60        /    NA Day        Night

**SECTION B - DEFICIENCY INFORMATION**

<b>Performance Standard Deficiency</b> <b><i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i></b>	<b>Date Corrected by</b> <b>Licensee</b>
<b>Deficiency Summary</b> Failed - Character and suitability review conducted on required person (every 5 years), Inspection Form Comments: Staff member working in the facility without required background check.	Pending Correction
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: .	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: 24 hours	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: 11 hours	Pending Correction
Failed - Photo ID Verification, Staff Checklist Comments: .	Pending Correction
Failed - Medical, Staff Checklist Comments: .	Pending Correction
Failed - TB Test Date and Results, Staff Checklist Comments: .	Pending Correction
Failed - Verification of Education, Staff Checklist Comments: .	Pending Correction
Failed - References, Staff Checklist Comments: .	Pending Correction
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: .	Pending Correction

**INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 3/20/26, as verification that deficiencies have been corrected.**

**NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.**

\_\_\_\_\_  
***Signature of Facility Representative***

JESSICA VICE

\_\_\_\_\_  
Date

03/03/2026

\_\_\_\_\_  
***Signature of DHR Licensing Representative***

\_\_\_\_\_  
Date

COPIES TO: \_\_\_\_\_ Center \_\_\_\_\_