

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: GAINESVILLE HEAD START	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 3/4/2026
Facility Address: 55 HARRIS ROAD, GAINSEVILLE, AL 35464, Sumter	Licensee: FAMILY GUIDANCE CENTER OF ALABAMA	Telephone #: (205) 652-9852
Ages: 3 Years to 5 Years	Director (if applicable): DENISE SERVING WEST CENTRAL BROWN	Capacity: 34 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary Failed - Center free of apparent hazards, Inspection Form Comments: There is chipped paint on the walls in Classroom A and B (3rs-5yrs).	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

KAMILA CROWELL

Signature of DHR Licensing


Date

3-4-2026

Date

Representative

COPIES TO: _____Center manager_____