

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**


SECTION A - IDENTIFYING INFORMATION

Facility Name: BABY BEE'S LEARNING HIVE	Type of Facility : Center [] Day [X] OST [] Night [] Family [] University [] Group [X]	Date of Visit: 3/4/2026
Facility Address: 1952 SNOW ROAD S, MOBILE, AL 36695, Mobile	Licensee: BRANDI HUNT	Telephone #: (251) 234-9650
Ages: 6 Weeks to 5 Years	Director (if applicable):	Capacity: 12 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Each child signed in and signed out with a written signature or a biometric ID, Inspection Form Comments: There are ten (10) children present, but nine (9) are signed in on the sign in & out form.	6/4/2025
Failed - Medication for children or household members locked, Inspection Form Comments: Children in care medication was not locked.	7/11/2025
Failed - Over-the-counter drugs labeled with child's name and directions, Inspection Form Comments: Over-the counter medications do not children's names labeled. (Baby Powder, Aquaphor, and diaper rash ointment.	7/10/2025
Failed - Medication/medical procedures administered only with written authorization from parent and child's health professional, Inspection Form Comments: There is no written authorization from parent and child's health professional for Aquaphor-ointment, diaper rash cream and baby powder.	7/10/2025

In ARTSect



<p>Failed - By August 1 2022 all home staff including licensee/substitutes/assistant caregivers must enroll in Alabama Pathways Professional Development Registry, Inspection Form Comments: Some staff members are not enrolled in Alabama Pathways, nor uploading education and two (2) types of training certificates.</p>	7/31/2025
<p>Failed - Emergency list posted by the telephone, Inspection Form Comments: There is no emergency list posted by the phone in the home.</p>	7/31/2025
<p>Failed - Area free of stacked lumber construction materials firewood, Inspection Form Comments: There is a pile of logs on the playground.</p>	7/31/2025
<p>Failed - Fence at least 4 feet in height free from sharp protruding edges (except where prohibited by federal law), Inspection Form Comments: There are sharp, prickly vines growing upward in four (4) areas on the fence.</p>	7/31/2025
<p>Failed - Ammunition stored separately from guns/firearms in locked storage, Inspection Form Comments: Ammunition is stored in same storage unit with gun/firearms.</p>	6/4/2025
<p>Failed - Dangerous substances locked, Inspection Form Comments: Hazardous substances are not under lock & key/combo lock in the laundry room (liquid detergent).</p>	8/1/2025
<p>Failed - Photo ID Verification, Staff Checklist Comments: Licensee's file is missing a Photo ID Verification.</p>	7/31/2025
<p>Failed - Written verification of Emergency Procedures, Staff Checklist Comments: Licensee's file is missing Written Verification of Emergency Procedures.</p>	7/31/2025
<p>Failed - Ongoing Training, Staff Checklist Comments: Licensee's ongoing training certificates are expired and is not uploaded in Alabama Pathways.</p>	7/31/2025
<p>Failed - Health and Safety Training, Staff Checklist Comments: Licensee's Health and Safety Training Certificates are expired and aren't uploaded in Alabama Pathways.</p>	7/31/2025
<p>Failed - Application, Staff Checklist Comments: Assistant caregiver's file is missing an application.</p>	7/31/2025


Failed - Medical, Staff Checklist Comments: Assistant caregiver's Medical is expired in file.	7/31/2025
Failed - Infant -Child CPR Certification, Staff Checklist Comments: Assistant caregiver's file is missing Infant-Child CPR Certification.	7/31/2025
Failed - Infant -Child First Aid Certificate, Staff Checklist Comments: Assistant caregiver's file is missing Infant-Child First Aid Certificate.	7/31/2025
Failed - References, Staff Checklist Comments: Assistant caregiver's file has only two (2) references available.	7/31/2025
Failed - Ongoing Training, Staff Checklist Comments: Assistant caregiver's file has expired ongoing training and does not have training certificates uploaded in Alabama Pathways.	7/31/2025
Failed - Health and Safety Training, Staff Checklist Comments: Assistant caregiver's file has expired Health and Safety training certificates and does not have certificates in Alabama Pathways.	7/31/2025
Failed - Ongoing Training, Staff Checklist Comments: Substitute's file has expired ongoing training certificates and training certificates are not uploaded in Alabama Pathways.	7/31/2025
Failed - Health and Safety Training, Staff Checklist Comments: Substitute's file has expired Health and Safety training certificates and training certificates are not uploaded in Alabama Pathways.	7/31/2025
Failed - Ongoing Training, Staff Checklist Comments: Substitute's file has expired ongoing training certificates and does not have training certificates uploaded in Alabama Pathways.	7/31/2025
Failed - Health and Safety Training, Staff Checklist Comments: Substitute's file has expired Health and Safety training certificates and does not have training certificates uploaded in Alabama Pathways.	7/31/2025
Failed - Immunization Certificate, Child Checklist Comments: Child's immunization record is expired in file.	8/7/2025

Failed - Immunization Certificate, Child Checklist Comments: Child's immunization record is expired in file.	7/31/2025
Failed - Immunization Certificate, Child Checklist Comments: Child's file is missing an immunization record.	1/29/2026
Failed - Immunization Certificate, Child Checklist Comments: There is no immunization record available in child's file.	7/31/2025
Failed - Immunization Certificate, Child Checklist Comments: There is no immunization record available in child's file.	7/31/2025
Failed - Immunization Certificate, Child Checklist Comments: Child's immunization record on file is expired.	7/31/2025
Gate is not secured next to pole and house, there is about a 1 1/2 ft gap that poses as an escape route., Ad Hoc Comments: NA	7/31/2025
There are two waterspouts on the wall, with sharp edges around the bottom, accessible to children., Ad Hoc Comments: NA	7/31/2025
Gate entering the facility is open and not secured., Ad Hoc Comments: NA	8/1/2025
On 8/12/25, there are nine (9) children present with one staff and a volunteer that does not have a record on file., Ad Hoc Comments: NA	8/15/2025
On 8/12/25, observed the gate entrance doors open., Ad Hoc Comments: NA	8/12/2025
The gate to the playground is open and not secured on, 10/17/25., Ad Hoc Comments: NA	10/17/2025
There are nine (9) children present with one (1) staff present., Ad Hoc Comments: NA	1/28/2026
Upon DHR Representatives arrival, licensee was supervising 9 children until substitute returned inside of the home., Ad Hoc Comments: NA	1/28/2026

Observed licensee changing toddlers' diapers and is not sanitizing diapering station after each child., Ad Hoc Comments: NA	1/28/2026
Facility is not meeting the number of staffing that's required for a licensed group home (Three (3) staff is listed).. Ad Hoc Comments: NA	1/28/2026
On 2/1/26, there is a stump with sharp edges protruding upward on the playground., Ad Hoc Comments: NA	Pending Correction
On, 3/4/26, observed a blue swing equipment with a broken see-saw seat, exposing a blue rod., Ad Hoc Comments: NA	Pending Correction
On, 3/4/26, observed the front gate not secured., Ad Hoc Comments: NA	Pending Correction


INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 3/18/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



 Signature of Facility Representative

 5/5/24
 Date

DEBORAH LANG-DIXON


 Signature of DHR Licensing Representative

 3/4/26
 Date

COPIES TO: Brandi Hunt