

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: KINDER CARE LEARNING CTR #753	Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/>	Date of Visit: 3/5/2026
Facility Address: 701 SHEILA BLVD, PRATTVILLE, AL 36067, Autauga	Licensee: KINDER CARE LEARNING CENTER, LLC.	Telephone #: (334) 365-0470
Ages: 6 Weeks to 12 Years	Director (if applicable): CHARLOTTE HARDY	Capacity: 75 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: New training has not been entered.	2/13/2026
Failed - Records on file at time of employment, Inspection Form Comments: Several staff members are working in the facility without complete files.	2/20/2026
Failed - Medical, Staff Checklist Comments: Expired	2/12/2026
Failed - Medical, Staff Checklist Comments: Expired	2/12/2026
Staff files are not in compliance., Ad Hoc Comments: NA	3/5/2026
Ceiling tiles are stained in several areas throughout the facility., Ad Hoc Comments: NA	2/13/2026
Paint is peeling on the walls in the 6 weeks to 18-month classroom., Ad Hoc Comments: NA	2/11/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form

must be returned to the Department of Human Resources on or before
_____ x _____, as verification that deficiencies have been corrected.


NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

JESSICA VICE

Signature of DHR Licensing Representative



Date

03052026

Date

COPIES TO: _____ Center _____