

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: DUNNAM'S PRIVATE SCHOOL, INC	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 12/16/2025
Facility Address: 811 GLENN ROAD, BESSEMER, AL, 35020, Jefferson	Licensee: DUNNAMS PRIVATE SCHOOL INC	Telephone #: (205) 425-4194
Ages: 6 Weeks to 12 Years	Director (if applicable):	Capacity: 132 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee	
Deficiency Summary		
Failed - Hazardous substances under lock and key or combination lock, Inspection Form Comments: Cleaning supplies and purse not under lock and key/ combination lock in the Izzy Inchworm classroom	10/3/2025	CMB
Failed - 24 months to 36 months 1 to 8, Inspection Form Comments: Due to a staff member not having the correct Suitability Letter on file.	10/10/2025	CMB
Failed - Wet/soiled diapers placed in covered, plastic-lined container and disposed of daily, Inspection Form Comments: The Polly Penguins and Mandy Monkeys are missing the cover lids in the classroom	10/7/2025	CMB
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: None of the facility staff members are enrolled in Alabama Pathway's registry.	11/30/2025	CMB
Failed - Ongoing Training, Staff Checklist Comments: Missing 17 hrs	12/31/2025	CMB
Failed - Ongoing Training, Staff Checklist Comments: Missing 5 hrs	11/30/2025	CMB
Failed - Ongoing Training, Staff Checklist Comments: Missing 8 hrs	11/30/2025	CMB
Failed - Ongoing Training, Staff Checklist Comments: Missing 8 hrs	11/30/2025	CMB

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Chellie Brasher

Signature of Facility Representative

March 6th, 2026

Date

SHUNDR NEVELS

Signature of DHR Licensing Representative

Date

COPIES TO: _____