

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: LEGACY OF LEARNING CDC	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 3/6/2026
Facility Address: 11190 HWY 78, RIVERSIDE, AL 35135, St. Clair	Licensee: LEGACY OF LEARNING CDC, LLC	Telephone #: (205) 814-5437
Ages: 0 Weeks to 16 Years	Director (if applicable): CANDACE STEVENS	Capacity: 76 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary There were 2 children under 12 months old left unsupervised for an undetermined amount of time in the infant room when a staff left to help another bring children back to class., Ad Hoc Comments: NA	Pending Correction
On February 6, 2026, there was chipping paint in all rooms except the school age room., Ad Hoc Comments: NA	Pending Correction
There was a staff's purse not under lock and key in the infant room., Ad Hoc Comments: NA	2/19/2026
On March 6, 2026, there was an infant sleeping in a swaddler without a healthcare professional's authorization., Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 03/20/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet

Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Candace Stevens

Signature of Facility Representative

JAIME BOWMAN

Date

03/06/26

Signature of DHR Licensing Representative

Date

COPIES TO: Candace Stevens