

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: KID'S STATION	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 3/5/2026
Facility Address: 701 RHODES STREET, HARTSELLE, AL 35640, Morgan	Licensee: D & T, L.L.C.	Telephone #: (256) 751-2766
Ages: 3 Weeks to 12 Years	Director (if applicable): DAVID PHILLIPS	Capacity: 77 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary Amended Deficiency Report 3/9/26 SUPERVISION AT ALL TIMES, Allegation Pending Correction Comments: A child was observed on video footage standing up in a chair at the U-shaped table without staff supervision.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 3/9/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

 · 3/9/2026

Signature of Facility Representative

Date

LEA RAE GAINES

Signature of DHR Licensing Representative

3/5/26

Date

COPIES TO: _____