

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: RHONDA'S DAYCARE	Type of Facility : Center [] Day [X] OST [] Night [] Family [X] University [] Group []	Date of Visit: 3/11/2026
Facility Address: 104 CORRINE DRIVE, MADISON, AL 35758, Madison	Licensee: RHONDA DICKENS	Telephone #: (256) 682-0870
Ages: 6 Weeks to 6 Years	Director (if applicable): N/A	Capacity: 6 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Most recent licensing evaluation posted, Inspection Form Comments: On 3/11/26 no posting of current evaluation	Pending Correction
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: Expired as of 3/11/26	Pending Correction
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: Expired as of 3/11/26	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 03/25/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Rhonda Dickens
Signature of Facility Representative

3-11-26
 Date

Rolanda Nelson
Signature of DHR Licensing Representative

03/11/2026
 Date

COPIES TO: Rhonda Dickens