

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: BUSY BEES	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 3/12/2026
Facility Address: 248 NELSON HOLLOW ROAD, SOMERVILLE, AL 35670, Morgan	Licensee: BUSY BEES DAYCARE CENTER LLC	Telephone #: (256) 778-7577
Ages: 18 Months to 8 Years	Director (if applicable): RUETHAIRAT GIBBS	Capacity: 25 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Staff are not enrolled in Alabama Pathways.	Pending Correction
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: Incorrect criminal background check was done.	Pending Correction
Failed - Medical, Staff Checklist Comments: Medical has expired.	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Doctor's information missing.	Pending Correction
Failed - Immunization Certificate, Child Checklist Comments: Immunization certificate is missing.	Pending Correction
Failed - Immunization Certificate, Child Checklist Comments: Immunization certificate is expired.	Pending Correction

Failed - Immunization Certificate, Child Checklist
Comments: Immunization certificate is expired.

Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 03/26/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Ruethairat Gibbs
Signature of Facility Representative

03/12/2026
Date

AJOIA MCGHEE

03/12/2026

Signature of DHR Licensing Representative

Date

COPIES TO: Center