

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: MOTHER HELPER HOME DAY CARE	Type of Facility : Center [ ] Day [X]            OST [ ] Night [X]        Family [X] University [ ] Group [ ]	Date of Visit: 3/13/2026
Facility Address: 5105 CALKINS DRIVE, EIGHT MILE, AL, 36613, Mobile	Licensee: BESSIE HENDERSON	Telephone #: (251) 457-0590
Ages: 4 Weeks to 12 Years/4 Weeks to 12 Years	Director (if applicable):	Capacity: 6        /        6 Day        Night

**SECTION B - DEFICIENCY INFORMATION**

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
<b>Deficiency Summary</b>	
Failed - Outdoor play area and equipment free from apparent hazards, Inspection Form Comments: There is a broken fence that is leaning on the wooden fence, that's accessible to the children.	10/28/2025
Failed - Posted in a conspicuous place. Inspection Form Comments: EPRP is not posted in the facility.	11/18/2025
Failed - By August 1 2022 all home staff including licensee/substitutes/assistant caregivers must enroll in Alabama Pathways Professional Development Registry. Inspection Form Comments: Staff is not enrolled and entering education and required training certificates in the Alabama Pathways platform.	1/13/2026
Failed - Emergency Preparedness and Response Plan posted, Inspection Form Comments: EPRD is not posted.	1/22/2026
Failed - Infant -Child CPR Certification, Staff Checklist Comments: Licensee's CPR Certificate is expired.	1/22/2026





