

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: 02B KIDS CAPSHAW		Type of Facility : Center [X] Day [X] Night [] OST [] Family [] University [] Group []	
Facility Address: 6715 WALL TRIANA HWY, HUNTSVILLE, AL 35757, Madison		Licensee: 02B EARLY EDUCATION HOLDING, INC	
Ages: 6 Weeks to 12 Years		Director (if applicable): JENNIFER GRAHAM	
Capacity: 180 Day, NA Night		Telephone #: (352) 338-9660	

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*		Date Corrected by Licensee
Deficiency Summary Per staff written statement and video footage, on March 2, 2026, a thirty-five-month-old child in the 24 to 36 month (sophomore B) classroom was picked up roughly by the arms by a staff, Ad Hoc Comments: NA		

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative _____
 LATONYA JAMES
 Date 3/14/26

Signature of DHR Licensing Representative _____
 Date _____

COPIES TO:
