

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: BETHANY CHILD DEVELOPMENT CENTER	Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> Night <input type="checkbox"/> OST <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/>	Date of Visit: 3/17/2026
Facility Address: 714 CEDAR STREET, MONTGOMERY, AL 36106, Montgomery	Licensee: BETHANY SDA CHILD DEVELOPMENT CENTER	Telephone #: (334) 265-5521
Ages: 6 Weeks to 12 Years	Director (if applicable):	Capacity: 90 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
PROHIBITED DISCIPLINE, Allegation Comments: On 3/10/26, a staff member hit a 4-year-old child 4 times on the hand.	3/16/2026
COPY POLICIES TO PARENT, Allegation Comments: Video policy is not included in the parent handbook	Pending Correction
CORPORAL/PHYSICAL PUNISH, Allegation Comments: On 3/10/26, a staff member hit a 4-year-old child 4 times on the hand.	3/17/2026
Plugs do not have protective covers., Ad Hoc Comments: NA	3/17/2026
Hazardous substances are not under lock and key. (Lysol and staff purse), Ad Hoc Comments: NA	3/17/2026
On 3/17/26, there are 26 children in the facility and only 19 children signed in., Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 3/25/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

 _Sonja Val
McCarden_____
Signature of Facility Representative

 3/17/26_____
Date

 JESSICA VICE

Signature of DHR Licensing Representative

 3/17/26_____
Date

COPIES TO: _____ Center _____