

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

| | | |
|--|--|--|
| Facility Name: ROBBIE'S MIRACLE CHRISTIAN ACADEMY ,LLC | Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/> | Date of Visit: 3/17/2026 |
| Facility Address: 970 FORESTDALE BLVD, BIRMINGHAM, AL 35214, Jefferson | Licensee: ROBBIE'S MIRACLE CHRISTIAN ACADEMY | Telephone #: (205) 201-4689 |
| Ages: 0 Weeks to 5 Years | Director (if applicable): ADRIAN J WASHINGTON | Capacity: 32 / NA Day Night |

SECTION B - DEFICIENCY INFORMATION

| Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY* | Date Corrected by Licensee |
|--|---|
| Deficiency Summary | |
| On March 17, 2026, there was scent bomb not under lock and key in the preschool room., Ad Hoc Comments: NA | 3/17/2026 |
| On February 4, 2026, Sheets did not fit snugly in the cribs in the infant room., Ad Hoc Comments: NA | Pending Correction |
| On January 9, 2026, there were three (3) four (4) year old children unsupervised when staff left the classroom., Ad Hoc Comments: NA | Pending Correction |
| On January 9, 2026, upon arrival, there were five (5) children ages two and one half (2 1/2) years to three (3) years left unsupervised for an undetermined amount of time while napping in the two year old room., Ad Hoc Comments: NA | Pending Correction |

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 03/31/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of

Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

JAIME BOWMAN

Date

03/17/26

Signature of DHR Licensing Representative

Date

COPIES TO: Adrian Washington