

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: CREATIVE KIDS ON AZALEA	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 3/18/2026
Facility Address: 680 AZALEA RD, MOBILE, AL 36609, Mobile	Licensee: TANITA DAVIS (CREATIVE KIDS)	Telephone #: (251) 518-8837
Ages: 6 Weeks to 12 Years	Director (if applicable): TANITA DAVIS	Capacity: 65 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
(03/18/2026) Staff purse not under lock & key or combination lock., Ad Hoc Comments: NA	3/18/2026
(03/18/2026) In the infant room, the hazardous cabinet is unlock., Ad Hoc Comments: NA	3/18/2026
(1/9/2026) STAFF-CHILD RATIO, Allegation Comments: Observed upon arrival	3/18/2026
(1/9/2026) SUPERVISION AT ALL TIMES, Allegation Comments: Observed upon arrival	3/18/2026
(1/9/2026) Upon arrival, in the locked girl's restroom from the outside, there is a 4 yrs. old child sitting on top of the toilet lid crying in distress., Ad Hoc Comments: NA	3/18/2026
(1/9/2026) Upon arrival, there are seven (7) children in the 18mos-24mos classroom not supervised for an undetermined amount of time., Ad Hoc Comments: NA	3/18/2026
(1/9/2026) Upon arrival, there are four (4) children in the preschool classroom not supervised for an undetermined amount of time., Ad Hoc	3/18/2026

Comments: NA

(1/9/2026) Upon arrival, there are six (6) children in the infant room not supervised for an undetermined amount of time., Ad Hoc 3/18/2026

Comments: NA

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

TANITA DAVIS

Signature of Facility Representative

03/18/2026

Date

AMY HORN

Signature of DHR Licensing Representative

03/18/2026

Date

COPIES TO: _____