

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: TRINITY CHILD DEVELOPMENT CENTER	Type of Facility : Center [X] Day [X]            OST [ ] Night [ ]           Family [ ] University [ ] Group [ ]	Date of Visit: 3/18/2026
Facility Address: 607 AIRPORT ROAD, HUNTSVILLE, AL 35802, Madison	Licensee: TRINITY UNITED METHODIST CHURCH	Telephone #: (256) 489-7525
Ages: 6 Weeks to 14 Years	Director (if applicable): SHERYL RADDIN	Capacity: 175     /     NA Day             Night

**SECTION B - DEFICIENCY INFORMATION**

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
<b>Deficiency Summary</b>	
There were no deficiencies noted during today's visit.	
QUALIFICATIONS OF STAFF, Allegation Comments: The file for the current staff person in charge is incomplete.	2/27/2026
Per video footage viewed by the Department's Representative, on January 20, 2026, one four (4) year old child and one five (5) year old child in the Pre-K (elephant) room were touched in a manner consistent with sexual abuse., Ad Hoc Comments: NA	Pending Correction
Per video footage, on March 3, 2026, a staff in the 12 to 18 month class restrained a twenty three month old child on the cot during naptime., Ad Hoc Comments: NA	3/18/2026

**INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 4/1/2026, as verification that deficiencies have been corrected.**

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

*Laura Capps*  
Signature of Facility Representative

3/18/26  
Date

LATONYA JAMES

Signature of DHR Licensing Representative

3/18/2026  
Date

COPIES TO: Laura Capps