

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: UAB ELC	Type of Facility : Center [X] Day [X]            OST [ ] Night [ ]        Family [ ] University [ ] Group [ ]	Date of Visit: 3/19/2026
Facility Address: 1100 10TH AVENUE SOUTH, BIRMINGHAM, AL 35205, Jefferson	Licensee: KINDER CARE EDUCATION AT WORK LLC	Telephone #: (205) 975-7373
Ages: 6 Weeks to 5 Years	Director (if applicable): RENE CADDELL	Capacity: 249        /        NA Day        Night

**SECTION B - DEFICIENCY INFORMATION**

<u>Performance Standard Deficiency</u> <b>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>	<u>Date Corrected by Licensee</u>
<b>Deficiency Summary</b> There was disinfecting cleaner not under lock and key in the toddler 1 room., Ad Hoc Comments: NA	3/19/2026

**INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before \_\_\_\_\_, as verification that deficiencies have been corrected.**

**NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.**

*Rene Caddell*

\_\_\_\_\_  
**Signature of Facility Representative**

JAIME BOWMAN

\_\_\_\_\_  
**Signature of DHR Licensing Representative**

3/19/2026

\_\_\_\_\_  
Date

03/19/26

\_\_\_\_\_  
Date

COPIES TO: \_\_\_\_\_ Rene Caddell \_\_\_\_\_