

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: LUV-N-CARE DAYCARE CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 3/20/2026
Facility Address: 123 COUNTY ROAD 710, RANBURNE, AL 36273, Cleburne	Licensee: NATASHA BROWN	Telephone #: (256) 926-9620
Ages: 6 Weeks to 12 Years	Director (if applicable): NATASHA HARPER	Capacity: 67 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Hazardous substances under lock and key or combination lock, Inspection Form Comments: hand sanitizer and baby lotion in the toddler classroom	Pending Correction
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: poles on the hand railing coming out of the pre k classroom has exposed nails.	Pending Correction
Failed - 2 ½ years up to 4 years 1 to 11, Inspection Form Comments: There's 20 2 1/2yr - 4 yr olds with 1 staff.	Pending Correction
Failed - Children younger than 2 ½ grouped separately, Inspection Form Comments: There's 25 children 18m- 4yr on the playground.	Pending Correction
Failed - No screen time for children under 2 years of age, Inspection Form Comments: There is a TV screen on in the 6wks- 18m class.	Pending Correction
Failed - Formula provided by parent, must be labeled, ready to feed, and	Pending Correction

refrigerated, Inspection Form

Comments: There is powered milk being prepared by staff.

Failed - Child's hands washed before and after snacks, after diapering, toileting, Inspection Form

Comments: There are 7 toddler that come from outside and did not wash their hands.

Pending Correction

Failed - Ongoing Training, Staff Checklist

Comments: not in file

Pending Correction

Failed - Health and Safety Training, Staff Checklist

Comments: not in file

Pending Correction

Failed - Ongoing Training, Staff Checklist

Comments: not in file

Pending Correction

Failed - Health and Safety Training, Staff Checklist

Comments: not in file

Pending Correction

Failed - Ongoing Training, Staff Checklist

Comments: not in file

Pending Correction

Failed - Health and Safety Training, Staff Checklist

Comments: not in file

Pending Correction

Failed - Ongoing Training, Staff Checklist

Comments: not in file

Pending Correction

Failed - Health and Safety Training, Staff Checklist

Comments: not in file

Pending Correction

Failed - Ongoing Training, Staff Checklist

Comments: not in file

Pending Correction

Failed - Health and Safety Training, Staff Checklist

Comments: not in file

Pending Correction

Failed - Ongoing Training, Staff Checklist

Comments: not in file

Pending Correction

Failed - Health and Safety Training, Staff Checklist

Pending Correction

Comments: not in file

Failed - Ongoing Training, Staff Checklist
Comments: not in file

Pending Correction

Failed - Health and Safety Training, Staff Checklist
Comments: not in file


Pending Correction

Children's files are incomplete., Ad Hoc
Comments: NA

Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 4/4/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

JOY FRAZIER

03/25/2026

Date

3/20/26

Signature of DHR Licensing Representative

Date

COPIES TO: N. Brown