

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: LIGHTHOUSE CHILD DEV. CENTER, LLC	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☐ Family ☐ University ☐ Group ☐	Date of Visit: 3/25/2026
Facility Address: 3965 PARKWOOD RD, BESSEMER, AL 35022, Jefferson	Licensee: LIGHTHOUSE CHILD DEV. CENTER, LLC	Telephone #: (205) 434-2954
Ages: 6 Weeks to 10 Years	Director (if applicable): JOCELYN MAHAN JIMERSON	Capacity: 154 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Fire, Inspection Form Comments: Missing	4/1/2026
Failed - Sign in/sign out sheets, Inspection Form Comments: Two children present are not signed on today's visit	3/26/2026
Failed - Medical, Staff Checklist Comments: Missing	4/2/2026
Failed - TB Test Date and Results, Staff Checklist Comments: Missing	4/2/2026
Failed - References, Staff Checklist Comments: Missing	4/2/2026
Failed - Preadmission Form, Child Checklist Comments: Missing signatures and dates	4/2/2026
Failed - Hazardous substances locked, Classroom Checklist / Threes Comments: Bleach solution and antibacterial soap not under lock&key/ combination	3/25/2026
Failed - Hazardous substances locked, Classroom Checklist / Fours Comments: Bleach solution, Lysol spray, and a purse	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

JoEllen Ramsey
Signature of Facility Representative

03/25/2026
Date

SHUNDR NEVELS
Signature of DHR Licensing Representative

Date

COPIES TO: _____