

**ALABAMA DEPARTMENT OF HUMAN RESOURCES**  
**CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

|                                                                                                              |                                                                                                                                                 |                                                   |
|--------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| Facility Name:<br>KIDZ R KIDZ LEARNING<br>ACADEMY                                                            | Type of Facility : Center [X]<br>Day [X]                      OST [ ]<br>Night [ ]                    Family [ ]<br>University [ ]<br>Group [ ] | Date of Visit:<br>3/25/2026                       |
| Facility Address:<br>2601 WOODLEY PARK DRIVE, Apt,<br>suite, floor, etc. MONTGOMERY, AL<br>36116, Montgomery | Licensee:<br>CHIQUITTA THOMAS                                                                                                                   | Telephone #:<br>(334) 593-2560                    |
| Ages:<br>3 Weeks to 13 Years                                                                                 | Director (if applicable):<br>CHIQUITTA THOMAS                                                                                                   | Capacity:<br>174       /    NA<br>Day       Night |

**SECTION B - DEFICIENCY INFORMATION**


| <b><u>Performance Standard Deficiency</u></b><br><b><i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i></b>                                                                   | <b>Date Corrected by<br/>Licensee</b> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| <b>Deficiency Summary</b>                                                                                                                                               |                                       |
| Failed - 0 up to 18 months 1 to 5, Inspection Form<br>Comments: There 17 kids to 3 staff the room is out of ratio                                                       | 3/25/2026                             |
| Failed - Outdoor play area and equipment are free of apparent<br>hazardous conditions, Inspection Form<br>Comments: There is trash, and debris on all three playgrounds | 3/25/2026                             |
| Failed - Vehicle safety check done annually, signed by certified<br>mechanic, dated, and filed in center, Inspection Form<br>Comments: missing                          | Pending Correction                    |
| Failed - Medical, Staff Checklist<br>Comments: needs updated medical                                                                                                    | Pending Correction                    |
| Failed - Ongoing Training, Staff Checklist<br>Comments: missing                                                                                                         | Pending Correction                    |
| Failed - Health and Safety Training, Staff Checklist<br>Comments: missing                                                                                               | Pending Correction                    |
| Failed - Ongoing Training, Staff Checklist<br>Comments: missing some                                                                                                    | Pending Correction                    |
| Failed - Health and Safety Training, Staff Checklist<br>Comments: missing some                                                                                          | Pending Correction                    |
| Failed - Ongoing Training, Staff Checklist<br>Comments: missing some                                                                                                    | Pending Correction                    |
| Failed - Health and Safety Training, Staff Checklist<br>Comments: missing some                                                                                          | Pending Correction                    |
| Failed - Hazardous substances locked, Classroom Checklist / Gator                                                                                                       | 3/25/2026                             |

Court 4 yrs

Comments: Clorox spray, Febreze, staff purse, body lotion

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 04/08/2026, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

  
Signature of Facility Representative

3/25/26  
Date

KAMILA CROWELL

\_\_\_\_\_  
Signature of DHR Licensing  
Representative

03/25/2026  
Date

COPIES TO: \_\_\_\_\_director\_\_\_\_\_