

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

| | | |
|--|--|---|
| Facility Name: KIDTOPIA INDOOR FAMILY PLAYLAND | Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/> | Date of Visit: 3/25/2026 |
| Facility Address: 1372 JORDAN ROAD UNIT CDF, HUNTSVILLE, AL 35811, Madison | Licensee: KRYSTEN COTHREN | Telephone #: (256) 715-1219 |
| Ages: 6 Weeks to 12 Years | Director (if applicable): KRYSTEN COTHREN | Capacity: 114 / NA Day Night |

SECTION B - DEFICIENCY INFORMATION

| <u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i> | Date Corrected by Licensee |
|---|-------------------------------|
| Deficiency Summary | |
| There were no deficiencies noted during today's visit. | |
| Per staff written statement, on January 21, 2026, a seven (7) year-old child was left on the center's van unsupervised, for approximately twenty-eight minutes. The health, welfare and safety of the child were at risk., Ad Hoc Comments: NA | Pending Correction |
| The facility did not properly use the Transportation Checklist on 1/21/26., Ad Hoc Comments: NA | Pending Correction |
| The driver of the center's van did not check the seats at the end of after school pick up on 1/21/26., Ad Hoc Comments: NA | Pending Correction |

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 4/8/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Krysten Cothren
Signature of Facility Representative

03/25/26
Date

LATONYA JAMES

Signature of DHR Licensing Representative

3/25/2026
Date

COPIES TO: Krysten Cothren